



# U.S. Pricing (USD) Zetron Price Book

Printed 3/1/2017

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Table of contents

2000 Series Paging Terminal Upgrade.....	3
2000 Series Paging Terminals.....	8
ACOM - Advanced Communications System.....	9
COMPANION Products.....	10
Control Room Furniture.....	12
Customer Fulfillment Technical Support.....	15
DCS-5020 Digital Console System.....	16
DEADBOLT Lightning Surge Arrestor.....	17
IP Fire Station Alerting System.....	18
Logging Recorders.....	19
M6300 RoIP GATEWAY.....	20
MAX Call Taking.....	21
MAX Dispatch - Pro.....	22
MAX Dispatch - Standard.....	23
MAX Management Information System.....	24
MAX Solutions CAD and Mapping.....	25
Model 15 Multi-Format Encoder.....	26
Model 1516 Sentrivoice.....	27
Model 1517 Sentrivoice+ .....	28
Model 1550 Sentrimax.....	29
Model 18/18+ Control Link.....	30
Model 25 Programmable Encoder.....	31
Model 250 Tone Remote Adapter.....	32
Model 251 - DC Remote Base Station Adapter.....	33
Model 26 - Fire Station Alerting System.....	34
Model 284 Multi-line Tone Remote.....	35

Model 30 Worldpatch.....	36
Model 3022 Instant Recall Recorder.....	37
Model 360 Kenwood-Compatible Radio Remote.....	38
Model 37-MAX Repeater Pal.....	39
Model 390 Tetra Remote.....	40
Model 4010/4010R Radio Dispatch Console.....	41
Model 45B Z-Patch.....	44
Model 48-MAX Interconnected Repeater Panel.....	45
Model 55B Page Buffer.....	46
Model 55D Digital Repeater.....	47
Model 600/620 High Speed Simulcast Paging System.....	48
Model 66 Transmitter Controller.....	50
Model 807, Model 827, Model 844 & Model 427.....	51
Pathway Product Family.....	53
SCADA System.....	54
Security Access Control and Intercoms.....	56
Security Cameras and Accessories.....	58
Security Integration and Management - C3fusion.....	61
Security Interview Systems - AVfusion.....	62
Security Servers and Viewing Clients.....	66
Security Systems - Sentry VMS.....	72
Security VMS - Mosaic.....	73
Series 3000 Monitor Speaker.....	74
Series 3300/3200 - IP E9-1-1 Telephone System.....	75
Series 4000 Communications Control Systems.....	76

This price sheet should be used whenever additional features or upgrades are to be installed in 2000 Series Paging Terminals already in the field. Many features and options have a "System Requirements" section. This is intended to indicate to the sales person what hardware and software must be installed in the system for the feature to work correctly with an existing system. If these hardware and software requirements are not met, the customer must purchase those additional items needed. Note that when purchasing these additional items, there may be additional system requirements for those additional items. All these requirements must be met before a system can be guaranteed to work when it reaches the customer site.

NOTE: All ' \* ' items need to have a ZBASE update ordered.

**QSeven UPGRADES**

Part Number	Description	List
905-0468	M2200 Paging Terminal QSeven CPU Upgrade Bundle	9504
950-1266	M2200 Raid Hard Drive Option for QSeven SBC	7568
950-1267	M2200 SATA Hard drive Option for QSeven SBC	2002
950-1268	M2100 SATA Hard Drive Option for QSeven SBC	1815
950-1225	2000 Series QSeven SBC Option	7535

**EXPANSION CHASSIS ADDITIONS**

Part Number	Description	List
901-9132	Model 2200EX Paging Terminal Expansion Module (with 110/120VAC 50/60Hz power supply) <i>System Requirements:</i> -Must have a 2200 base unit -Only two expansion chassis per system -For the first EX Chassis added to the system, this requires an empty system slot -Must have ZPAGE version 310H8 or above -If adding to older style main chassis, then also order older style slotted top cover for main chassis - P/N 415-9374-1	8267
950-9235	220/240VAC 50/60Hz Operation for Model 2200, M2200EX factory install	N/C
901-9207	Model 2200 Upgrade Chassis (to upgrade from 2100)	5126
950-9087	48VDC Operation for Model 2200 only, factory install (Exchange)	4483
901-9050	Model 2200 Paging Terminal Top Assembly	6039
901-9090	Model 2100 Paging Terminal Top Assembly	4186

**SUBSCRIBER EXPANSION OPTIONS**

Part Number	Description	List
X01-M2200	* Expansion by 1000 Subscribers	855

## SUBSCRIBER EXPANSION OPTIONS

X50-M2200

\* Expansion by 5000 Subscribers (Model 2200 only)

System Requirements:

- Model 2100 is limited to 3,000 subscribers. Model 2200 is limited to 50,000 subscribers. To go above 20,000 subscribers customer must first buy to even 5K increment with -X01. Only legal values are: 2K, 3K, 4K ... 19K, 20K, 25K, 30K, 35K ... 50K.
- If using DOS Zbase, must be upgraded to current.
- If more than 10,000 subscribers system needs High Performance CPU
- If more than 20,000 subscribers need ZPAGE 310H9 or better
- If more than 20,000 subscribers need to insure disk cluster size is 8Kbytes.

The 850 and 1.2 Mbyte disks are OK. For other disk sizes, check with P&MS for utility to check this.

- Need to order ZBASE update
- Need to insure disk space is sufficient for larger subscriber file.

Have customer execute df (disk free) command at + prompt in Zlink.

Make sure sufficient space is available according to the table below:

# Subscribers	File Size (Total)
1000-5000	2.1MB
6000-10,000	4.3MB
11,000-15,000	7.8MB
16,000-20,000	10.3MB
21,000-50,000	19.3MB

2560

## CPU UPGRADES

- 1) May need upgrade to latest version of ZPAGE and/or ZbaseW.
- 2) Hard Disk configuration at the factory is included with purchase. If field configuration is required due to a lack of remote access prior to shipment, charge using X88-M2200.

Part Number	Description	List
950-9816	<p>Memory Expansion Card (M2100)</p> <p><i>System Requirements:</i></p> <ul style="list-style-type: none"> <li>- Must have ZPAGE version 310K1 or above</li> <li>- Must BIOS 3.01 or greater</li> <li>- Need one free system slot</li> </ul>	330
950-9118	<p>Logging Printer Port (Model 2100 only)</p> <p><i>System Requirements:</i></p> <ul style="list-style-type: none"> <li>- Not available for older Faraday CPUs</li> </ul>	644
950-0259	Logging Printer Port (Model 2200 only)	644
950-9656	<p>Spare Standard Z-CPU for Model 2100</p> <ul style="list-style-type: none"> <li>- Need ZPAGE version 310 or better</li> </ul>	2723
905-0136	<p>Spares Kit for Model 2100</p> <p><i>Includes Standard Z-CPU, System Hard Disk Card, BIOS Memory Card, Maintenance Modem, 80W Main Power Supply and 48V Telco Power Supply.</i></p>	5434

## SYSTEM SOFTWARE UPGRADES

Part Number	Description	List
950-0288	<p>ZPAGE Upgrade to latest K Series (High Performance ZCPU)</p> <p><i>Be sure to inform customers this will require a scheduled installation.</i></p> <p><i>System Requirements:</i></p> <ul style="list-style-type: none"> <li>- All issues for upgrade to latest K series (standard CPU)</li> <li>- Need ROM-DOS 5.0</li> <li>- Need ZBASE 310 or better</li> <li>- If using 1200 Baud Maintenance Modem must upgrade to new</li> </ul>	1271

## ZBASE UPGRADES

All ZbaseW Subscriber Database upgrades have multi-user access, and are purchased on a Per System ID basis. If you are running redundant paging terminals and they were purchased on different System IDs, please contact Zetron Technical Support for assistance.

Part Number	Description	List
950-0925	<p>ZbaseW Subscriber Database</p> <p><i>Use this PN when upgrading from Zbase DOS version to ZbaseW.</i></p>	2904

## ZBASE UPGRADES

950-0926	ZbaseW Subscriber Database with Serial/Ethernet Adapter <i>Use this PN when upgrading from Zbase DOS version to ZbaseW.</i>	3190
950-0948	ZbaseW Subscriber Database <i>Use this PN when ZbaseW is purchased as part of a Hardware Addition/Upgrade which requires the ZbaseW upgrade.</i>	1749
950-0972	Serial /Ethernet Adapter for S2000 ZbaseW Subscriber Database	737
950-1056	ZbaseW Subscriber Database Upgrade to latest version (for existing ZbaseW owners) <i>(for existing Zbase W owners)</i>	369

## HARD DISK UPGRADES

1) Hard Disk configuration at the factory is included with purchase. If field configuration is required due to a lack of remote access prior to shipment, charge using X88-M2200.  
 2) Recommend voice file transfer service to preserve voice prompts  
 3) When upgrading the Hard Drive, specify the existing PageSaver memory amount:  
 6 hour = 950-9404, 12 hour = 950-9332, 24 hour = 950-9333, 48 hour = 950-9336, 72 hour = 950-9445. This is required for proper hard drive partitioning.

Part Number	Description	List
950-1176	SATA RAID Hard Drive Option (M2200 with Microbus HPCPU only)	6534
950-9618	Spare System Hard Disk for Model 2100 <i>Be sure to inform customer this will require a scheduled installation.</i> <i>System Requirements:</i> <i>-Need ZPAGE 310H or better</i> <i>-If using ZCPU then need BIOS 3.01</i> <i>-If using old PCM cards then need to upgrade to ADPCM cards</i>	1678
950-0258	Spare System Hard Disk for Model 2200 (SCSI only) <i>-Need ZPAGE 310K0 or better</i> <i>-Need High Performance CPU</i> <i>-Need ADPCM Voice Controller</i>	1678
950-1177	SATA RAID Hard Drive Field Upgrade Kit (M2200 Only) <i>System Requirements:</i> <i>-Need M2200 with Microbus High Performance CPU, The SATA RAID is not Compatible with other HPCPU</i>	6534
950-1178	Spare SATA Hard Disk for M2200 (Raid or Standard)	1848
950-0629	Spare RAID Hard Drive (M2200 SCSI only) <i>System Requirements:</i> <i>-Need M2200 with RAID Hard Drive Assembly</i> <i>-For systems that included or added the SCSI RAID bundle or options; 905-0198, 950-0627, or 950-0628.</i>	1848
X88-M2200	Configuration File Edit	840

## REDUNDANT SYSTEM CONTROLLER UPGRADES

Part Number	Description	List
901-9197	Line Transfer Panel for Standby System Controller (6 Maximum) <i>System Requirements:</i> <i>-Available on Model 2200 and 2200EX only.</i>	1337

## ANALOG TELEPHONE INTERFACES AND OPTIONS

System Requirements:  
 If upgrading above 20 trunks then need High Performance CPU  
 If upgrading above 38 trunks then need ZPAGE 310K or better

Part Number	Description	List
950-9822	Dual Telephone Interface Card, 2-Wire.Supports 2 Lines. <i>Remember to ask which options the customer wants installed on the card.</i> <i>System Requirements:</i> <i>-Need additional chassis slot</i>	4186

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.



## ANALOG TELEPHONE INTERFACES AND OPTIONS

950-0290	Dual Telephone Interface Card, E&M 4-Wire. Supports 2 Lines. <i>Remember to ask which options the customer wants installed on the card.</i> <i>System Requirements:</i> <i>-Need additional chassis slot</i> <i>-If using an old backplane, customer will have to use RJ11's to pin out. RJ 25's on backplane don't have all signals. On M2100 RJ11 is always used.</i>	Call for Availability
950-0292	Dual Multifrequency (MFR2) Decoder Option <i>(for 950-9822 or 702-9318)</i> <i>Be aware that if this terminal is going into a country which Zetron has not shipped to previously, there will be a \$1200 charge for engineering to create a new dialing plan for that country.</i> <i>System Requirements:</i> <i>-This cannot co-exist with alarm receiver because it uses the same slot</i> <i>-Need Dual Telco Rev D or better</i> <i>-Need large RAM if Rev M or below</i> <i>-Must have Alpha Modems</i> <i>-Make sure software number on U15 is 601-0375</i> <i>-Line type on trunks cannot be End-End</i>	Call for Availability
950-9108	* Dual Alphanumeric Messaging Input Modem Option <i>System Requirements:</i> <i>-If upgrading existing dual telco card Rev C or E.1 then cards must be reworked to handle 5V modems. Cards were designed for 12V modems. Rework can be done by customer or by Zetron.</i> <i>-Need to order ZBASE update if customer doesn't already have alpha modems</i>	1051

## RADIO INTERFACES AND OPTIONS

Part Number	Description	List
950-9781	Radio Station Control Card w/Full-Addressing PURC Emulation <i>System Requirements:</i> <i>-Need ZPAGE version 310 or better</i> <i>-Need empty station card slot in chassis</i>	4609

## SPARE OR REPLACEMENT VOICE CONTROLLER AND VOICE PROMPT OPTIONS

Part Number	Description	List
950-0385	ITU Voice Controller with 14 Voice Channels (1 Maximum 2100, 2 Maximum 2200)	3762
950-9069	System Voice Prompts (Requires Voice Controller) <i>System Requirements:</i> <i>-Must have a voice card installed</i> <i>-Need to order ZBASE update</i> <i>1Purchase of replacement hard drive suggested to avoid down time.</i>	2519
950-9127	* Subscriber Recorded Voice Prompts (Requires System Prompts) <i>System Requirements:</i> <i>-Must have a voice card installed</i> <i>-Must have 40MB hard disk or better</i> <i>-Must have ZPAGE 310 or better</i> <i>-Need to order ZBASE update</i> <i>-Purchase of replacement hard drive suggested to avoid down time.</i>	3762

## OTHER INTERFACES AND INTERFACE SOFTWARE

Part Number	Description	List
950-9196	MultiPort Serial Interface for TAP Applications. 2 Port Active <i>(Supports TAP inbound - 2 ports standard, expandable to 8 ports)</i> <i>System Requirements:</i> <i>-Need ZPAGE version 310 or better</i> <i>-Need empty slot in chassis</i>	3141

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## OTHER INTERFACES AND INTERFACE SOFTWARE

950-9346	TNPP Network Interface. 4-Wire, Full Handshake, 2 Ports Active <i>System Requirements:</i> <i>-Maximum one per system</i> <i>-Need ZPAGE version 310 or better</i> <i>-Need empty slot in chassis</i> <i>-Need to order ZBASE update if networking is not already installed - Line 18</i>	4609
950-9428	Outdial TAP Interface. Includes Auto-dial Modem. 1 Port only. <i>System Requirements:</i> <i>-Maximum one per system</i> <i>-Need ZPAGE version 310H or better</i> <i>-Need empty slot in chassis</i> <i>-Need to order ZBASE update if networking is not already installed</i>	3762
950-9197	Dual Port Expansion for TAP Input or TNPP Cards <i>(3 maximum - 8 ports total per card)</i>	1271

## POWER SUPPLY UPGRADES

Part Number	Description	List
950-9782	Spare Power Supply, 200W for Model 2200	1051
950-0356	M2200 200W Power Supply with Retrofit Kit <i>May be required for any M2200 shipped before or during year 2000. Contact Zetron Technical Support for assistance.</i>	1397

## INSTALLATION AND SUPPORT OPTIONS

Part Number	Description	List
950-9040	Protection Kit. Protection Modules Installed for 10 lines	853
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	313
802-0093-1	Punchdown Block, 50 Pin, Connectorized	88*
709-0004	25-Pair Cables, RJ-21, M-F, 10ft [Baseline Product]	72
950-9785	Spare Maintenance Modem	644

## USER MANUALS (ADDITIONAL COPIES)

Part Number	Description	List
025-9075	Schematics and Diagrams Manual	50
025-9035	Installation and Maintenance Manual	50
025-9034	Operating and Programming Manual	50
025-9231	Standby System Control Manual	50



Product Category: Paging

U.S. Pricing (USD), 002-0001 Rev. 57

2000 Series Paging Terminals

Price Sheet 001-0072 Rev. AF

The Model 2100 and 2200 Paging Terminals are available in a choice of subscriber capacities, voice storage features, telephone interfaces, radio interfaces, and voice options. A complete system consists of a Terminal, the chosen Interface cards, and a Subscriber Management system. Specific systems may require additional options; consult items below. The Model 2100 and 2200 Paging Terminals are available in a choice of subscriber capacities, voice storage features, telephone interfaces, radio interfaces, and voice options. A complete system consists of a Terminal, the chosen Interface cards, and a Subscriber Management system. Specific systems may require additional options; consult items below.

Zetron Price Book  
\* indicates a limited discount item  
\*\* indicates a non-discountable item  
All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

U.S. Pricing (USD), 002-0001 Rev. 57

ACOM represents the next generation in mission critical dispatch solutions. The ACOM Console System offers the reliability, feature capabilities, intuitive operation, and flexible configuration. Acom supports communications across a wide spectrum of radio and telephone equipment and other communications devices. These devices include Project 25 (TIA CSSI, DFI, and AFI), TaitNet P25, CORP25, OpenSky®, iDEN®, TETRA, DMR, NEXEDGE®, SMARTNET®, SmartZone®, TaitNet MPT, ISDN, and Session Initiated Protocol (SIP) telephony as well as numerous legacy systems.

Allowing telephone and radio communications to run on one platform eliminates the need for multiple systems. Diversity of interfacing means all resources are accessible no matter what technology communications systems are being used.

## Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

## COMPANION Products

Price Sheet 001-0219 Rev. AA

These companion products are third-party items offered for sale by Zetron to provide more complete solutions. Note that these products are not covered by Zetron's warranty, rather they are covered by the manufacturer's warranty. ALL SALES OF COMPANION PRODUCTS ARE FINAL. They may be returned only in the case of a Zetron error.

### COMPUTERS

Unless otherwise noted, PC products sold by Zetron are manufactured by Dell and include on-site warranty repair. When purchased with Zetron's system level products, Zetron software is pre-installed and tested on the PC prior to shipment.

Part Number	Description	List
950-1279	Windows Workstation PC	1818*

### COMPUTER PC CARDS

Part Number	Description	List
802-5301	4-Port Video Card (PCI bus)	641*
802-5307	4-Port Video Card (PCI Express)	641*
802-5304	2-Port (DUAL DVI or VGA) PCI Express Video Card, 128 MB	307*
802-0334	RS-232 Serial Port Card, 1 port (PCI Bus)	42*
802-0435	RS-232 Serial Card, 2 ports (PCI bus)	69*
802-5016	RS-232 Serial Card, 1 port (PCI Express)	69*
802-0256	RS-232 Serial Card, 2 ports (PCI Express)	69*
802-5002	Sound Card (PCI bus)	69*
802-5035	Sound Card (PCI Express)	69*
802-9701	Sound Card (USB-attached)	69*

### COMPUTER LCD MONITORS

Monitors with speakers do not necessarily provide volume controls for the speakers. Those that do, do not provide an individual volume control for the left and right speakers. Touchscreen monitors require a USB port connection to the PC. Single-touch monitors are preferred over multi-touch monitors for Zetron systems.

Part Number	Description	List
802-0383	19" Anti-Glare Black LCD Monitor	302*
802-2311	23" Widescreen LCD Monitor	270*
950-1270	Single-Touch Standard LCD Monitor <i>Touchscreen by ELO; 19" SAW type</i>	1389*
950-1271	Single-Touch Widescreen LCD Monitor <i>Touchscreen by TechGlobal; 22" Capacitive type</i>	1988*

### COMPUTER PERIPHERALS

Part Number	Description	List
950-9447	Three-Button Trackball	90*
950-9436	Compact PC Keyboard w/ Large AT DIN Connector	165*
802-0427	Numeric USB Keypad (24 keys)	187*
802-5006	IRR Multi-media Desktop PC Speakers	32*
802-0331	8-port Ethernet Switch, Unmanaged	64*
950-1281	24 Port Managed Gigabit Rack Mount Switch	2060*

### UNINTERRUPTIBLE POWER SUPPLIES (UPSs)

Part Number	Description	List
802-0329	1425 VA Desktop UPS	360*
802-0330	2250 VA Rack Mount UPS	2157*

### HEADSETS/HANDSETS

Unless otherwise noted, the following are dual-prong, unamplified devices without AGC and require a Jackbox or TRHI. 6-wire devices are

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## HEADSETS/HANDSETS

equipped with PTT. Headsets are over-the-ear, headband styles with quick disconnects. All devices are manufactured by Plantronics.

Part Number	Description	List
950-0454	Wireless Headset, 6-Wire, Noise Canceling (comes with 2 batteries) <i>Plantronics CA12CD improved belt-mounted PTT pack has secure battery retention and accepts Plantronics H-Series headset tops. Comes with a spare battery.</i>	831*
416-0047	Spare Wireless Headset Battery <i>For older style Plantronics CA10 model.</i>	37*
950-0033	Headset 4-Wire, Noise Cancelling	248*
950-0032	Headset, 6-wire w/PTT, Noise Cancelling	330*
802-0114	Headset Top	85*
802-0115	Headset Top, Noise Cancelling	111*
802-0671	Handset, w/PTT, 9' coiled cord, RoHS compliant	154*
802-0672	Handset, w/PTT, 9' coiled cord	116*
802-0673	Handset, 6-Wire w/PTT, 15' coiled cord	116*
802-0607	USB Stereo Headset	61*

## CONSOLE POSITION COMPONENTS

Part Number	Description	List
905-0330	Desktop Microphone, Shure With 6' cable	668
950-9102	Footswitch, Single w/ 10' cable	122
950-1077	Dual Prong Headset Jackbox Option; Dual Volume Control	800
950-1082	Dual Prong Headset Jackbox Option; Single Volume Control	641
950-9439	Telephone/Radio Headset Interface (TRHI) (for all models)	1062
950-9674	Headset interface box (disables handset)	182
950-0884	Speakers Single (cable separate)	541
950-1198	19" 2U Rackmount Speaker Panel - 2 Speakers	917
709-0170-10	10 ft Shielded Cat 5e Cable for Speakers	16*
395-0080	Accessory Manuals	25
025-9589	Desktop Microphone Manual	50
025-9632	Headset Jackbox manual	50
025-9553	TRHI Manual	50
025-9585	Amplified 5W Speaker manual	50

## RACKS & CABINETS

Rackmount PCs and UPSs require 4-post installation in 29" or deeper cabinets

Part Number	Description	List
950-0083	19" W x 77" (44U) H x 23" D Rack Cabinet w/ locking doors	2563*
802-0370	Rackmount, 12-outlet, 120 V Power Strip	85*
810-0142	19" Rack 2U Shelf	80*
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	313
950-9351	Connectorized Punch Down Block	88*
950-9962	Protected CO Punch Down Block	336*
709-0004	25-Pair Cables, RJ-21, M-F, 10ft [Baseline Product]	72

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

## Control Room Furniture

Price Sheet 001-0298 Rev. A

Zetron's line of control room and console furniture brings new modularity and affordability to a product family that is recognized for durability, quality, and ANSI conformity. Designed for easy re-configuration and ease of assembly, the furniture is designed to facilitate carton shipping. For pricing and configuration information, contact Zetron Sales.

### Furniture Work Surfaces and Monitor Mount Configuration

Part Number	Description	List
400-1500	Single Surface, Three Monitor Capable	8142
400-1501	Single Surface, Four Monitor Capable	8832
400-1502	Single Surface, Six Monitor Capable	9831
400-1503	Dual Surface, Three Monitor Capable	9324
400-1504	Dual Surface, Four Monitor Capable	10206
400-1505	Dual Surface, Six Monitor Capable	10455
400-1528	Two Tier Surface With Two Rack Mounts	1251
400-1529	Two Tier Surface With Three Rack Mounts	1362
400-1530	Two Tier Surface With Four Rack Mounts	1473
400-1570	Separate Keyboard Support with Tilt	909

### Monitor Mounts

Part Number	Description	List
400-1553	3 Monitor Mount, Fixed	378
400-1554	4 Monitor Mount, Fixed	441
400-1555	6 Monitor Mount, Fixed	1749
400-1556	2 Over 4 Monitor Mount, Fixed	1854
400-1557	4 Over 4 Monitor Mount, Fixed	2100
400-1558	Adjustable Vesa Mount	111
400-1559	8" Fixed Arc Extension	318
400-1560	12" Fixed Arc Extension	354
400-1561	Touch Screen Mount, Adjustable	399
400-1562	Focal Link Adjustable Arc Mount	1086
400-1579	ARC Extensions (Pair)	282
400-1580	Fixed 8" Extension	318
400-1581	Fixed 12" Extension	354
400-1582	Adjustable Extension	1017
400-1583	20" Post (PR)	120
400-1584	30" Post (PR)	147
400-1588	36" Post (PR)	189
400-1585	Flange Mount (PR)	111
400-1586	Heavy Duty Mount (PR)	177
400-1587	One Screen, Two Arms, One Adjustable Mount	396

### Side Extension Work Surfaces

Part Number	Description	List
400-1511	18" - 36" Wide Pull Out Shelf	189
400-1514	18" Wide Extension Surface	1632
400-1515	24" Wide Extension Surface	1713
400-1516	30" Wide Extension Surface	1785
400-1517	36" Wide Extension Surface	1926

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Side Extension Work Surfaces

400-1518	42" Wide Extension Surface	2007
400-1519	48" Wide Extension Surface	2100
400-1520	54" Wide Extension Surface	2391
400-1521	60" Wide Extension Surface	2439
400-1522	36" Wide X 60" Long Peninsula With Round Leg	2607

## Cabinets, Drawers and Storage

Part Number	Description	List
400-1506	24" Wide Upright Cabinet	1941
400-1507	30" Wide Floor Mount Cabinet	1716
400-1508	30" Wide Upright Cabinet	2145
400-1509	36" Wide Floor Mount Cabinet	1815
400-1510	36" Wide Upright Cabinet	2325
400-1537	36 Diameter Rotating Resource File W / Top	1683
400-1538	36 Diameter Rotating Resource File W / Out Top	1344
400-1539	28" High X 15" Wide Drawer Pedestal; Box, Box, File Mobile	861
400-1540	28" High X 15" Wide Drawer Pedestal; 2 File, Mobile	861
400-1541	28" High X 30 " Wide Lateral File; 2 Level	1585
400-1542	14" Deep X 30" Wide Overhead Panel Mount Storage Cabinet	633
400-1543	14" Deep X 36" Wide Overhead Panel Mount Storage Cabinet	681
400-1544	14" Deep X 42" Wide Overhead Panel Mount Storage Cabinet	720
400-1550	5.25 X 19 Vertical Extension	318
400-1551	10.5 X 19 Vertical Extension	375
400-1552	5.25 X 19 Recessed Turret	588
400-1548	5.25 X 19 Sloped Front Desktop Turret, 18 Deep	459
400-1549	10.5 X 19 Sloped Front Desktop Turret, 18" Deep	489

## Acoustic Paneling

Part Number	Description	List
400-1523	45" High X 18" Wide Acoustic Panel	855
400-1524	45" High X 24" Wide Acoustic Panel	891
400-1525	45" High X 30" Wide Acoustic Panel	930
400-1526	45" High X 36" Wide Acoustic Panel	1035
400-1527	45" High X 42" Wide Acoustic Panel	1071
400-1534	45" High Full End Trim	72
400-1535	45" High 90 Degree Corner Post	135
400-1536	45" High 135 Degree Corner Post	111

## Integrated Power Strips

Part Number	Description	List
400-1545	Ac Strip, 6 Outlet, 6' Cord	141
400-1546	Ac Strip, 6 Outlet, Cb 15' Cord	147
400-1547	Ac Strip, 8 Outlets, Suppressor	138

## Lighting, Fans and Environmental Controls

Part Number	Description	List
400-1531	Indirect Lighting, Two Rack Mounts	468
400-1532	Indirect Lighting, Three Rack Mounts	537
400-1533	Indirect Lighting, Four Rack Mounts	609

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Lighting, Fans and Environmental Controls

400-1563	Desk Top Fan, Adjustable Cfm, Filtered	660
400-1564	Floor Mount, Forced Air Heater. 450/900 Watts	711
400-1565	Inline Thermostat	126
400-1566	Footrest Option	69
400-1567	Led Task Light, 30" Two Section Arm	393
400-1568	Led Task Light Arc Mount Bracket	63
400-1569	Led Task Light Clamp Mount	64
400-1512	Led Maintenance Light	175
400-1513	Add Second Fan To Fan Tray	72

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.



Prices are in US Dollars All subcontractor-provided onsite technical support must be dispatched through Zetron Technical Support and in some cases, approved by the end-user. Listed prices are established in approved Service Management Plans or Subcontractor Agreements. Technical Services maintains this consolidated list of prices based on any new or revised plan or agreement.

Zetron Telephone Technical Support		
Once minimum charges have accumulated as noted, telephone technical support is chargeable in 30 minute increments.		
Part Number	Description	List
X94-284	ACOM Technical Support Incident	185**
X96-284	ACOM After Hours Support	235**
Onsite Subcontractor Technical Support		
Once minimum charges have accumulated, subcontractor technical support is chargeable in 30 minute increments.		
Part Number	Description	List

Prices are subject to change without notice.

Zetron Price Book  
\* indicates a limited discount item  
\*\* indicates a non-discountable item  
All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Product Category:

DCS-5020 Digital Console  
System

U.S. Pricing (USD), 002-0001 Rev. 57

Price Sheet 001-0214 Rev. AG

The DCS-5020 Digital Console System is a dispatch console system designed for smaller sized dispatch environments such as mobile command centres, fall-back control rooms and small regional control centres.

The DeadBolt is a reusable telephone line protector that provides secondary protection from abnormal electrical surges on telephone lines and helps reduce line-related RF interference.

Part Number	Description	List
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	313

Zetron's IP Fire Station Alerting (IP FSA) system is ideal for any municipality that has IP network links between its central communications center and its fire stations. Using IP to send control commands between the central site and the fire station increases the alerting speed and broadens connectivity options. Voice announcements can be configured for VoIP or radio transmission. Existing Model 6/26 dispatch systems can be upgraded to IP FSA.

Product Category: Logging Recorders

U.S. Pricing (USD), 002-0001 Rev. 57

Logging Recorders

Price Sheet 001-0294 Rev. G

Eventide NexLog NG911 ready logging systems capture, store, protect, reproduce, and manage important interactions and critical data. NexLog logging systems help you securely document and retrieve incidents, comply with regulations, and improve your facility's operations. Eventide NexLog communications logging systems offer outstanding flexibility and ease of use, with a choice of advanced capability remote software or convenient touch-screen front panel operation. Call records are stored in a state-of-the-art SQL relational database and compatibility with your existing Windows infrastructure.

## Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

## M6300 RoIP GATEWAY

Price Sheet 001-0279 Rev. D

Zetron's RoIP Gateway allows legacy Tone Remote Control (TRC) or E&M wireline control equipment to operate over modern IP networks. It is suitable for use with all Zetron consoles for remoting radios from the console system over Ethernet IP. The RoIP Gateway can also be used with many other manufacturer's TRC/E&M wireline control equipment, as well as many non-radio, specialty voice applications (e.g. hoot-n-holler and intercom lines). By connecting radios at both ends, it can also be used to bridge two geographically diverse radio systems together. The RoIP Gateway transports 4-wire audio, COR/PTT, RS-232 serial data and one generic binary I/O signal over an IP network.

The Model 6304 IP Console Gateway is specially designed for connecting a remote console position (Integrator RD, 4018 or 4118) to a Series 4000 system over an IP network.

NOTE: IP networks must meet the network requirements found on the RoIP Gateway spec sheet (005-1400). Reliable transport of in-band tone signaling requires that audio compression not be used and requires that the IP network have no packet loss. Also, IP network latency may have an adverse affect on serial data protocols used by certain radios. Certain serial data-controlled radios may not support direct RS-232 connection and therefore may require additional serial data conversion devices.

### GATEWAYS

DC power cabling kit supplied. Order AC power converter option separately. Includes CD with manual. Gateways work in pairs; order 2 per remote console or radio.

Part Number	Description	List
905-0357	Model 6301 RoIP Gateway, Single Channel	1399
905-0358	Model 6302 RoIP Gateway, Dual Channel	2184
905-0458	Model 6304 IP Console Gateway Bundle <i>Includes 2 gateways and cabling. Works with Integrator RD, 4018 and 4118 consoles connected to a Series 4000 system.</i>	5051

### Gateway Options

Part Number	Description	List
950-1244	Dual-channel Upgrade Kit (6301 to 6302)	1065
950-0406	Power Supply, 100-240VAC input, 12VDC output, 15W	121
950-0589	Single Unit Rack Mount Option <i>1U x 19" single unit rack adapter</i>	122
950-0588	Dual Unit Rack Mount Option <i>1U x 19" dual unit rack adapter</i>	170

### Documentation

Part Number	Description	List
025-9631	Model 6300 IP Gateway Manual	50
025-9677	Model 6304 IP Console Gateway Manual	50

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Product Category: MAX Call Taking

U.S. Pricing (USD), 002-0001 Rev. 57

MAX Call Taking

Price Sheet 001-0285 Rev. AH

MAX Call-Taking is an end-to-end IP, Next-Generation 9-1-1 telecommunications system. MAX Call-Taking offers a full range of features and functionality that are important to 9-1-1 centers. It also employs the latest standards-based IP protocols and IT best practices to offer the highest levels of scalability, usability, adaptability, and availability. It's cutting edge user interface complies with NENA 54-750 human machine interface standards. The low power server core reduces heat and cost while maximizing reliability. Automatic Call Recovery further enhances MAX Call-Taking's robust architecture.

Zetron Price Book  
\* indicates a limited discount item  
\*\* indicates a non-discountable item  
All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.



Product Category: MAX Dispatch

U.S. Pricing (USD), 002-0001 Rev. 57

MAX Dispatch - Pro

Price Sheet 001-0282 Rev. AH

MAX Dispatch Pro is an end-to-end IP based telecommunications console system designed for mission-critical dispatch applications. Because MAX Dispatch employs the latest, standards-based IP protocols and IT best practices, it offers the highest levels of interoperability, scalability, and usability. This product is packaged to meet the needs of medium to larger sized systems that utilize an extensive console feature set. The optional features offered on the MAX Dispatch Standard are now included in the workstation bundle with the Pro version.

Zetron Price Book  
\* indicates a limited discount item  
\*\* indicates a non-discountable item  
All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Product Category: MAX Dispatch

U.S. Pricing (USD), 002-0001 Rev. 57

MAX Dispatch - Standard

Price Sheet 001-0281 Rev. AG

MAX Dispatch Standard is an end-to-end IP based telecommunications console system. Because MAX Dispatch employs the latest, standards-based IP protocols and IT best practices, it offers the highest levels of interoperability, scalability, and usability. This product is packaged to meet the needs of smaller sized systems that may only need a handful of advanced console features. MAX Dispatch Standard packages 1 console position and 10 radio channels together in a non-redundant configuration. Up to 2 additional positions (for a total of 3) may be added as well as up to 10 additional radio channels (for a total of 20). Software features sets may be added to each console position as necessary. If redundancy is required, that may be added on to the system.

## Product Category: Non Disc Items

## MAX Management Information System

U.S. Pricing (USD), 002-0001 Rev. 57

Price Sheet 001-0296 Rev. B

MAX Management Information System (MIS powered by ECaTS) is a Public Safety Intelligence and analytics-reporting platform developed exclusively for the 911 industry. It harnesses the power of cloud computing to obtain real-time statistics from a single or multiple PSAPS. Canned and custom reports are available through an intuitive interface, providing reports and comparative analysis with minimal effort.

Part Number	Description	List
X72-0103	Setup and installation of Remote Data Distribution Module (RDDM) for MAX MIS (One-time charge) <i>One-time charge required for hardware and deployment. Required per site if geographically separated (not in the same building). Required for replacements if the replacement requires a full reconfiguration.</i>	1500**
683-0500	Remote Data Distribution Module (RDDM) for MAX MIS <i>One-time charge required for hardware and deployment. Required per site if geographically separated (not in the same building). Required for replacements if the replacement requires a full reconfiguration.</i>	2770**
X72-0102	84 Month MAX MIS Subscription <i>* \$383 per month.</i>	32172**
X72-0104	60 Month MAX MIS Subscription <i>* \$403 per month.</i>	24180**
X72-0101	36 Month MAX MIS Subscription <i>* \$450 per month.</i>	16200**
X72-0100	12 Month MAX MIS Subscription <i>* \$507 per month.</i>	6084**
X72-0106	1 Month MAX MIS Subscription <i>* \$520 per month.</i>	520**

\* 12 months is the minimum subscription available. 84 months is the maximum subscription available. Any combination of subscription orders cannot exceed 84 months. Multiple year options (that offer lower prices per month) are for upfront prepaid services

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

MAX CAD, MAX Mobile CAD, MAX Mapping and MAX Stand-Alone ALI (SALI) are limited discount, third party applications that include hardware and software product codes. MAX CAD is a NG911 ready CAD that offers a user friendly UI for improved dispatch efficiency and accuracy. MAX Mobile CAD is a real time communication tool that gives mobile users access to detailed maps, GPS location , NCIC queries and incident details. MAX Mapping is a mapping viewer that runs both as a stand-alone application or integrated with a CAD. MAX Stand-Alone ALI (SALI) is vendor neutral and interfaces with any CAD or phone controller, the Zetron SALI manages all ALI databases while providing accurate and up-to-date information.

## Product Category: Baseline Products

## Model 15 Multi-Format Encoder

U.S. Pricing (USD), 002-0001 Rev. 57

Price Sheet 001-0090 Rev. V

The Model 15 Multi-Format Encoder may be configured for most common paging formats, including tone and digital formats, plus nonstandard tone formats including Plectron, Federal, or other customer specified tones. Powered by 12 VDC, or wall transformer (optional).

Part Number	Description	List
905-0141	Model 15 Multi-Format Encoder, desktop. • <i>Analog Formats: Two-tone, 5/6-tone, DTMF, 2805Hz, HSC, Reach, 1500Hz, alert tones</i> • <i>Digital Formats: NEC, POCSAG, Golay, Metro Pageboy</i> • <i>Field-programmable custom (Plectron) tones, stacks, Morse ID</i> • <i>RS-232 Port for paging from a computer</i>	1128
709-7197	Interface cable for Motorola Radius® SM-, GM-, and M-series mobiles	77
950-9958	120 VAC 60Hz Wall Transformer	42*
950-9905	220 VAC 50Hz Wall Transformer	61*
025-9235	Additional User Manual	50

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

## Model 1516 Sentrivoice

Price Sheet 001-0100 Rev. U

The Model 1516 Sentrivoice monitors 8 alarm inputs and optionally transmits voice messages, tone and alphanumeric pages, or alert tones over the user supplied radio or PA. Product includes manuals on CD; printed manuals are available as options.

Part Number	Description	List
901-9334	Model 1516 Sentrivoice Page and Voice Alarming via Radio (Standard Firmware Included, Voice Storage not included)	938
950-0283	Standard Firmware	244
950-9390	Remote Control Relay (Factory Install, Limit of 2)	41
709-7144	RS-232 PC Interface Cable, DB-9S (AT®)	90
815-9015	115 VAC 60Hz Wall Transformer	44*
815-9027	220 VAC 50Hz Wall Transformer	58*
950-9523	Motorola Radius® Radio Cable	101
950-9598	Model 1795 steel NEMA 4, 20x24x8, 7Ah battery/charger/supply <i>* See Note Below</i>	1791
950-9599	Model 1796 fiberglass NEMA 4X, 20x22x8, 7Ah battery/charger/supply <i>* See Note Below</i>	2369
950-9600	Model 1797 fiberglass NEMA 4X, 13x15x6, 7Ah battery/charger/supply <i>* See Note Below</i>	1617

### OPTIONS

Part Number	Description	List
950-9386	Paging Format, two-tone (Motorola, GE®) <i>Note: Only one paging format can be installed.</i>	244
950-9387	Paging Format, two-tone (Plectron) (replaces standard two-tone paging) <i>Note: Only one paging format can be installed.</i>	244
950-9391	Paging Format, POCSAG Alphanumeric (512 or 1200 baud) <i>Note: Only one paging format can be installed.</i>	323
950-9392	Paging Format, 5/6 tone (replaces standard two-tone paging) <i>Note: Only one paging format can be installed.</i>	323
950-9388	Voice Option - 10 seconds of voice storage (limit of 2)	74
950-9389	Extended Voice Option - additional 40 seconds of voice storage (limit of 2)	233
025-9302	Additional User Manual	50
950-0960	Radio Interface Kit, M1516 to Kenwood TK-x180	170

\* NOTE: Model 1516 not included

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

## Model 1517 Sentrivoice+

Price Sheet 001-0101 Rev. L1

The Model 1517 SentiVoice+™, housed in a NEMA 4X case with battery/charger/power supply, monitors 8 alarm inputs and automatically transmits voice messages, voice, tone, or alphanumeric pages or alert tones over the user supplied radio or PA.

Part Number	Description	List
901-9383	Model 1517 SentiVoice+ <i>With 40 seconds voice storage, NEMA 4X case, power supply, charger, 7Ah battery, two-tone paging</i>	2422
950-9390	Remote Control Relay (Factory Install, Limit of 2)	41
950-9387	Paging Format, two-tone (Plectron) (replaces standard two-tone paging)	244
950-9391	Paging Format, POCSAG Alphanumeric (512 or 1200 baud) <i>(replaces standard two-tone paging)</i>	323
950-9392	Paging Format, 5/6 tone (replaces standard two-tone paging)	323
950-9389	Extended Voice Option - additional 40 seconds of voice storage (limit of 2)	233
709-7144	RS-232 PC Interface Cable, DB-9S (AT®)	90
950-9497	12Ah Battery (upgrade replacement for standard 7Ah battery)	90
950-9523	Motorola Radius® Radio Cable	101
025-9302	Additional User Manual	50

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.



## Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

## Model 1550 Sentrimax

Price Sheet 001-0098 Rev. Y

The Model 1550 SentiMax™ is an industrial autodialer and radio alarm annunciator that can monitor and control up to 72 inputs or outputs. Includes voice prompts, NEMA 4X case, battery, charger, and 120/240V universal power supply.

Part Number	Description	List
901-9385	Model 1550 SentiMax™ Industrial Alarm Processor <i>16 digital I/O, 1 minute voice, 8 analog inputs</i>	4129
950-9517	16 Input or Output Expansion Module (limit 3)	398
950-9520	Extended Voice Option: 1 min increments (limit 3)	170
950-9521	Real-time Clock & Local Printer Interface	398
950-9595	Additional Phone Interface	398
950-9594	Radio Paging Formats: Two-Tone, POCSAG	398
950-9516	Telephone Paging Protocol: TAP/IXO with modem	398
950-0163	Standard Firmware Upgrade	244
950-0164	Option Firmware Upgrade <i>Required if the radio paging, tap paging or real time clock option was previously purchased.</i>	398
709-7144	RS-232 PC Interface Cable, DB-9S (AT®)	90
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	313
950-0392	M1550 Telephone Paging field upgrade option	398
950-0393	M1550 Extended Voice field upgrade option	170
950-0394	M1550 Real-time Clock field upgrade option	398
950-0395	M1550 Radio Paging field upgrade option	398
950-9733	12 VDC, 7 AH Gel Cell Battery	90
890-0068	Replacement Charger Board	307
950-1057	Replacement Power Supply for Industrial Products	223
025-9305	Additional User Manual	50
950-0852	M1550 Configuration Utility Additional CD Option	90

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

## Model 18/18+ Control Link

Price Sheet 001-0104 Rev. S

The Model 18/18+ Control Link connects to radios and provides point-to-point or multi-point monitoring and control between the radios. The Control Link can replace up to 20 leased lines via radio. Product includes manuals on CD; printed manuals are available as options.

Part Number	Description	List
901-9286	Model 18 Control Link, with 8 digital inputs, 8 digital outputs	1198
950-0267	Model 18 Software Upgrade <i>Option applies to products shipped BEFORE 07/24/2015</i>	445
901-9287	Model 18+ Control Link, with 16 digital inputs, 16 digital outputs and 4 analog inputs, 4 analog outputs	1627
950-0268	Model 18+ Software Upgrade <i>Option applies to products shipped BEFORE 06/19/2015</i>	445
950-0269	Model 1804 Software Upgrade (enables serial communication out RS232 port) <i>Option applies to products shipped BEFORE 06/19/2015</i>	445
709-7144	RS-232 PC Interface Cable, DB-9S (AT®)	90
709-7308	Motorola Radius® Cable	95
025-9214	Additional User Manual	50
950-0959	Radio Interface Kit, M18 to Kenwood TK-x180	175
<b>OPTIONAL NEMA CASES (MODEL 18/18+ NOT INCLUDED)</b>		
Part Number	Description	List
950-9598	Model 1795 steel NEMA 4, 20x24x8, 7Ah battery/charger/supply	1791
950-9599	Model 1796 fiberglass NEMA 4X, 20x22x8, 7Ah battery/charger/supply	2369
950-9600	Model 1797 fiberglass NEMA 4X, 13x15x6, 7Ah battery/charger/supply	1617
950-9745	Power Module <i>Includes Battery Bracket, 120 VAC Power Supply, Charger Card, Power Cables</i>	557
950-9747	Charger Card mounted on Battery Bracket	292
950-9732	120 VAC Power Supply	233

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

## Model 25 Programmable Encoder

U.S. Pricing (USD), 002-0001 Rev. 57

Price Sheet 001-0094 Rev. R1

The Model 25 Programmable Encoder enables dispatchers to send a page or several pages with the press of a single "instant call" button.

Part Number	Description	List
901-9019	Model 25 Programmable Encoder <i>With numeric pad and 29 instant calls, includes Motorola &amp; GE 2-tones, Quick-call I (2+2), CustomCalls, 5/6 tone, DTMF, and 2805/1500 Hz rotary dial formats (950-0742), and computer configuration package (950-9220).</i>	6523
<b>OTHER OPTIONS</b>		
Part Number	Description	List
950-9214	120 VAC Power Supply (supplies 12 VDC@3A)	336
950-9220	Computer Configuration Package	127
950-9300	Local/CAD Switch (use with 901-9019 only)	176
025-9567	Model 25 Programmable Encoder Product Manual	50

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

## Model 250 Tone Remote Adapter

U.S. Pricing (USD), 002-0001 Rev. 57

Price Sheet 001-0192 Rev. Q

The Model 250 is a tone remote adapter that includes features typically only found in high-end remote control stations. It provides a means of connecting a base station radio to industry-standard tone remote encoders, such as Zetron's desktop remotes and dispatch consoles. The Model 250 connects to an audio circuit or leased line from the tone remote and to the unique interface of the base station radio. Designed for fast installation and easy setup. The Model 250 includes integrated setup utilities that reduce the need for service equipment.

Part Number	Description	List
901-9588	Model 250 Tone Remote Adapter	1044
950-0898	Dual Rack Mount Adapter Kit	85
OPTIONS		
Part Number	Description	List
950-0950	Interface kit for Kenwood TKR-x50/51	170
950-0956	Interface kit for Kenwood TK-x180, TK-5x10, and NX-700/800	170
950-1015	M250 Tone Remote PTT iDEN Handset Interface	649
950-1017	Interface Kit for MOTOTRBO mobile radios	164
709-7540	Generic Interface cable with flying leads	80
950-1201	Interface kit for Motorola CDM-1250/CDM-1550 LS+	90
950-0328	Interface kit for Motorola GM 300/R1225	90
950-0329	Interface kit for Kenwood TKR-840 repeater	90
950-0330	Interface kit for Kenwood TK-690/790/890	90
950-1313	Interface kit for Tait TM8200, TM9100, TM9300 and TM9600 Series Mobile Radios	90
025-9472	M250 Tone Remote Adapter User Manual	50
<i>An electronic copy of M250 user manual is included with all orders</i>		

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

## Model 251 - DC Remote Base Station Adapter

U.S. Pricing (USD), 002-0001 Rev. 57

Price Sheet 001-0273 Rev. D

DC remote control of radio is becoming rare, and few, if any, of the new radio control equipment capable of supporting DC remote control circuits. But there remains a large install base of DC remote radio base station. The Zetron DC Remote Base Station Adapter provides the bridge needed to adapt the new generation equipment to your legacy DC controlled radios, thus allowing you to retain your radio infrastructure investment. Contac Zetron for configuration and pricing information.

Part Number	Description	List
950-0898	Dual Rack Mount Adapter Kit	85
950-0851	M251 DC Remote Base Station Adapter	954
905-0347	M250/251 Tone-to-DC Remote Base Station Adapter <i>Adds DC Control to a Multi-Frequency and/or Remotely connected radio from any Tone Remote console. Includes both M250 and M251 in a dual rack mount shelf, plus all cables and power supplies.</i>	2793

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

The Model 26 system is a fire station alerting system that provides dispatchers with a fast, reliable means for alerting selected stations and individual vehicles. Additional capabilities include control of vital station functions (doors, sirens, or PA systems), an RS-232 port for Computer-Aided-Dispatch operation, and remote status monitoring of sense inputs. A typical system consists of one or more dispatch units (Model 26s) and one or more station units located in the stations to be alerted. System size can be up to 26 stations. Consult with Zetron for additional information.

## Product Category: Baseline Products

## Model 284 Multi-line Tone Remote

U.S. Pricing (USD), 002-0001 Rev. 57

Price Sheet 001-0146 Rev. AA

The Model 284 is an EIA-compatible tone remote that allows an operator to control up to four base stations or repeaters from a single unit. A built-in paging encoder is available. The unit is programmable from the ZIPR software program. A telephone-style handset with PTT pressbar, a built-in microphone, and built-in speaker are included.

Part Number	Description	List
901-9498	Model 284 Multi-line Tone Remote with Built-In Paging Encoder <i>Includes parallel status indication, function tone muting, InstantTalk circuit, real-time clock, VU meter, LCD with 32 programmable text aliases to identify base frequencies, 2-tone, 5-tone, DTMF, 2805/1500Hz, and alerts. Includes 10 stacks of 10 pagers each, and a 50-pager database with programmable text alias, User Manual and 120/240V Universal Power supply included.</i>	3036
901-9714	Model 284 Multi-line Tone Remote with Built-In Paging Encoder, Kenwood version	3036
<b>OPTIONS</b>		
Part Number	Description	List
901-9588	Model 250 Tone Remote Adapter	1044
709-7540	Generic Interface cable with flying leads	80
950-0328	Interface kit for Motorola GM 300/R1225	90
950-0329	Interface kit for Kenwood TKR-840 repeater	90
950-0330	Interface kit for Kenwood TK-690/790/890	90
950-9449	Programming Kit. Includes cable, adapter, and ZIPR software	264
950-9102	Footswitch, Single w/ 10' cable	122
950-0030	Headset 6-wire <i>Requires headset interface box, which disables handset.</i>	286*
950-0032	Headset, 6-wire w/PTT, Noise Cancelling <i>Requires headset interface box, which disables handset.</i>	330*
950-9674	Headset interface box (disables handset)	182
950-0358	Model 280/284 Tone Remote Headset Adapter	765
950-9437	PTT Handset with Cord	105
905-0330	Desktop Microphone, Shure With 6' cable	668
025-9346	M284 Digital Tone Remote Product Manual, additional <i>(Note: PDF images of all manuals can be found on the resellers website.)</i>	50
025-9589	Desktop Microphone Manual	50

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.



## Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

## Model 30 Worldpatch

Price Sheet 001-0009 Rev. U

The Model 30 Worldpatch is a phone patch that adds interconnect to any base station, control station, or repeater.

Part Number	Description	List
901-9416	Model 30 Worldpatch with APO <i>See * Note 1 Below</i>	641
901-9417	Model 30 Worldpatch with Digital Voice Delay and APO <i>See * Note 1 and ** Note 2 Below</i>	737
901-9540	Model 30 Worldpatch with Selcall, APO, and Digital Voice Delay <i>See * Note 1, ** Note 2, and *** Note 3 Below</i>	1118

### OPTIONS

Part Number	Description	List
950-0040	Mounting hardware to fit Motorola Radius GR-series repeaters	122
950-9931	Single Rack Mount Adapter Kit	80
709-7179	Generic Radio Interface Cable (flying leads)	74
950-0025	Interface cable for Motorola Radius SM-, GM-, and M-series mobiles	80
709-7275	Interface cable for Motorola Radius GR300/GR500 repeater (pair of GM300 mobiles)	90
950-0480	Custom DIU interface cable with notch filter circuit for connection to the Motorola DIU (Digital Interface Unit). Allows PSTN interconnect operation in ASTRO Digital mode when connected to Motorola Quantar and MTR2000 ASTRO-capable base stations. Interface cable connects to Motorola DIU box via modular RJ-45 port.	519
950-0481	Custom interface cable for Motorola Quantar and MTR2000 for analog (non-ASTRO) operation. Interface cable connects Model 30 to above base stations via 25-pin MRTI port.	519
950-0026	Interface cable for Motorola Radius® GR1225	90
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	313
025-9140	Additional User Manual (for 901-9416 and 901-9417)	50
025-9431	Additional User Manual (for 901-9540)	50
950-0951	Radio Interface Kit, M30 to Kenwood TKR-x50/x51	175
950-0957	Radio Interface Kit, M30 to Kenwood TK-x180	175
950-1018	Interface cable kit for MOTOTRBO XPR8400 radio	164
950-1174	Radio Interface Kit, M30 to Motorola XTL5000	170
950-1205	Interface cable kit for MOTOTRBO MTR3000 radio	148

### FIELD UPGRADES

Part Number	Description	List
950-9360	Field upgrade to add APO	201
950-9411	Field upgrade to add Digital Voice Delay	254
950-9957	Field upgrade to add Selcall format	382

\* Note 1 - APO (Advanced Programming Operation): Provides 50 autodial, four-click PTT autodial, mobile-oriented hook flash via \*0, auxiliary output, repeat courtesy tone, security code for direct-channel access, single ringout from connect button, and call-alert beeps. \*\* Note 2 - Digital Voice Delay: Recommended for simplex base-station and control-station applications and is adjustable. \*\*\* Note 3 - Selcall: Provides 100 and 1000 call encoding if two-tone and DTMF. It also provides dial-up remote operations from telephone (\*t o Key, # to Unkey).

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

## Model 3022 Instant Recall Recorder

U.S. Pricing (USD), 002-0001 Rev. 57

Price Sheet 001-0064 Rev. P

The Model 3022 Instant Recall Recorder records and stores the last several telephone calls or radio transactions at an operator's position. Memory capacity is doubled by using reduced sample rate with only minor decrease in sound quality.

Part Number	Description	List
901-9270	Model 3022 Instant Recall Recorder (2 unit* widths)(includes 64/128 minutes memory)	3146
<b>MOUNTING OPTIONS</b>		
Part Number	Description	List
901-9256	Series 3000 Rack Adapter (Fits 19" x 5.25" EIA rack space) <i>Mounts 8 units worth of modules and blank module panels</i>	501
901-9264	ALI Display Adapter <i>Mounts 4 units worth of modules and blank module panels.</i>	407
950-9977	Blank Module Panel	33
415-9802	Blank Module Panel 4 unit* widths(5.25"H x 8.5"W)	94
<b>MANUALS</b>		
Part Number	Description	List
025-9221	Additional Model 3022 Installation and Operation Manual	50

\* 1 unit = 5.25"H x 2.125"W. The Model 3022 measures 5.25"H x 4.25"W (2 unit widths) and can be mounted in the Series 3000 Rack or Desktop Adapters or directly in place of 2 modules in a Motorola CENTRACOM II® Channel Control Panel.

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

## Model 360 Kenwood-Compatible Radio Remote

U.S. Pricing (USD), 002-0001 Rev. 57

Price Sheet 001-0188 Rev. Q

The Model 360 Radio Remote allows an operator to control a Kenwood TK-X80 Series and X180 Series radios up to 2000 ft. away. For applications requiring greater separations, a pair of Model 232 Voice/Data Multiplexers may be used over leased or PSTN lines. Up to 25 Model 360 desktop remotes may be paralleled. A telephone-style handset with PTT press-bar, built-in microphone, and speaker are included as standard equipment. May be wall mounted or placed on desktop.

Part Number	Description	List
901-9578	Model 360 Radio Remote	1611
901-9577	Model 360 Radio Interface <i>(Important Note: Supports TK-X180, NX200, and NX800 Radios. Requires installation of KCT-19 cable available from Kenwood)</i>	790
<b>OPTIONS</b>		
Part Number	Description	List
950-1183	Model 360 Radio Interface Firmware for Kenwood TK-X80 radio support. <i>No charge if being sold with new unit.</i>	N/C
950-0030	Headset 6-wire <i>Requires headset interface box, which disables handset.</i>	286*
950-0032	Headset, 6-wire w/PTT, Noise Cancelling <i>Requires headset interface box, which disables handset.</i>	330*
950-9674	Headset interface box (disables handset)	182
950-9102	Footswitch, Single w/ 10' cable	122
950-0152	Programming Kit (includes software and programming adapter)	254
950-9958	120 VAC 60Hz Wall Transformer	42*
950-9905	220 VAC 50Hz Wall Transformer	61*
905-0330	Desktop Microphone, Shure With 6' cable	668
025-9589	Desktop Microphone Manual	50

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

## Model 37-MAX Repeater Pal

Price Sheet 001-0025 Rev. M

The Model 37-MAX is a remote-programmable, community repeater panel that provides the maximum number of users, 154 (50 CTCSS, 104 DCS).

Product includes manuals on CD; printed manuals are available as options.

Part Number	Description	List
901-9486	Model 37-MAX Repeater Pal, 154 users	594
<b>OPTIONS</b>		
Part Number	Description	List
709-7179	Generic Radio Interface Cable (flying leads)	74
709-7394	Interface cable for Motorola GR300/GR500 repeater (pair of GM300 mobiles)	90
950-0024	Interface cable for Motorola Radius® GR1225	90
950-0040	Mounting hardware to fit Motorola Radius GR-series repeaters	122
950-9920	Interface assembly for Motorola MTR2000 station	366
950-9931	Single Rack Mount Adapter Kit	80
025-9376	Additional User Manual	50
950-0953	Radio Interface Kit, M37 MAX to Kenwood TKR-x50/x51	175

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

## Model 390 Tetra Remote

Price Sheet 001-0186 Rev. T

The Model 390 TETRA Remote is a desktop remote for the TETRA radio system. The termination panel locally connects up to 15 remotes to a single base station.

Part Number	Description	List
901-9564	Model 390 TETRA Remote	2247
901-9688	M390-P TETRA PEI Radio Interface <i>NOTE: Supports the Motorola MTM800 Enhanced Data Radio and MTM5400 Data Radio. Manual included on disk. Includes MTM800E/MTM5400 Front Panel Radio Interface cable 709-7980. Requires the use of a junction box. See the Installation Options section below for other cable options.</i>	3016
901-9617	M390 Radio Interface for MTM700/800 <i>NOTE: Supports the Motorola MTM700/800 Radios. Printed manual included. Includes MTM700/800 Radio Interface Cable 709-7585.</i>	737
OPTIONS		
Part Number	Description	List
950-0030	Headset 6-wire <i>Requires headset interface box, which disables handset.</i>	286*
950-0032	Headset, 6-wire w/PTT, Noise Cancelling <i>Requires headset interface box, which disables handset.</i>	330*
950-9674	Headset interface box (disables handset)	182
950-9102	Footswitch, Single w/ 10' cable	122
950-0115	Programming kit, includes cable and ZIPR (Zetron Installation Prog for Remotes) <i>Programming kit is only required if you want to change transmit timeout timer, conversation timer, radio ID, or if you want to disable the secure or intercom features.</i>	175
950-0406	Power Supply, 100-240VAC input, 12VDC output, 15W	121
950-9958	120 VAC 60Hz Wall Transformer	42*
950-9905	220 VAC 50Hz Wall Transformer	61*
905-0330	Desktop Microphone, Shure With 6' cable	668
DOCUMENTATION		
Part Number	Description	List
025-9589	Desktop Microphone Manual	50
025-9659	M390-P TETRA PEI Radio Remote System Product Manual <i>Note: For 901-9688</i>	50
025-9448	M390 TETRA Radio Interface Manual <i>Note: For 901-9617</i>	50
INSTALLATION OPTIONS		
Part Number	Description	List
709-7980	M390-P TETRA PEI Radio Interface to MTM800E or MTM5400 Junction Box Cable	164
709-8019	M390-P TETRA PEI Radio Interface to TMT5400 Data Radio Cable	154

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Model 4010

## Model 4010/4010R Radio Dispatch Console

U.S. Pricing (USD), 002-0001 Rev. 57

Price Sheet 001-0054 Rev. AV

The Model 4010/R is a self-contained, multi-position radio dispatch console that can accommodate up to 12 radio channels and 2 telephone lines. Contact Zetron for a Configuration and Planning Guide.

Part Number	Description	List
901-9269	Model 4010 Radio Dispatch Console (Desktop)	6397
901-9335	Model 4010R Radio Dispatch Console (Rackmount)	6397
802-0092	Power Supply for 4010, 4118 or 4018	105*
950-0962	M4010 Console Programming Software for Windows	253
950-9325	Console Programming System for DOS	239

### EXPANSION UNIT

Part Number	Description	List
901-9224	Model 4115B Console Expander (5.25" x 19")	2563

### CHANNEL CARDS AND ADAPTERS

Part Number	Description	List
950-9715	Dual Channel Card	1221
950-0255	Tone Remote System Adapter (required for iRIMs)	732
950-9922	Tone Remote System Adapter with Audio Delay	1051
950-0820	2970 Hz Tone Remote System Adapter with Audio Delay	968
950-9716	DC Remote Channel Adapter	369
950-9718	Tone Remote LOTL Channel Adapter	215
950-9719	Phone Patch Card	644
950-9720	Dual Phone Card	1287
950-9721	Expanded Aux I/O Card	528
950-9609	Series 4000 Intercom Interface Option	1051
901-9630	KA iRIM (Intelligent Radio Interface Module)	3328
901-9637	EA iRIM (Intelligent Radio Interface Module)	3328
950-0589	Single Unit Rack Mount Option	122
950-0588	Dual Unit Rack Mount Option	170
950-1014	iDEN Handset PTT Interface for Local Conventional	253
950-1015	M250 Tone Remote PTT iDEN Handset Interface	649

### SOFTWARE OPTIONS - PAGING AND SPEED DIAL

Part Number	Description	List
930-0029	Extended Paging Package	798
930-0030	Instant Call Paging	297
950-9502	Model 4018/4118 Speed Dial Option	407
950-9741	SS1A Console Software Option (replaces Standard operating Software-requires 322-7256 EPROM)	490

### ANI OPTIONS

Part Number	Description	List
950-9722	Individual Channel DTMF ANI Decoder with built-in tone remote LOTL	688
950-9709	Individual Channel FSK ANI Decoder (recommended for iRIMs)	732
950-9706	Individual Channel SS1 Decoder	1078

### ACCESSORIES

Part Number	Description	List
-------------	-------------	------

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## ACCESSORIES

950-9314	Gooseneck Microphone for M4010 / M4018 Desktop Console Position	330
950-9484	Gooseneck Microphone (rackmount)	264
905-0386	Desktop Microphone, Shure With Cable to Tails	668
950-9315	PTT Handset w/ Hookswitch Cradle for M4010 / M4018	297
950-9102	Footswitch, Single w/ 10' cable	122
950-9327	Headset Jackbox	215
950-9208	Secondary Headset Jackbox (for all models)	528
950-9439	Telephone/Radio Headset Interface (TRHI) (for all models)	1062
709-7350	Dual TRHI Connector Cable	83
950-0360	TRHI PTT Handset & Cradle Option (requires TRHI)	528

## HEADSET OPTIONS

Part Number	Description	List
950-0033	Headset 4-Wire, Noise Cancelling	248*
950-0032	Headset, 6-wire w/PTT, Noise Cancelling	330*
950-0454	Wireless Headset, 6-Wire, Noise Canceling (comes with 2 batteries) <i>Plantronics CA12CD improved belt-mounted PTT pack has secure battery retention and accepts Plantronics H-Series headset tops. Comes with a spare battery.</i>	831*

## INSTALLATION OPTIONS

Part Number	Description	List
709-7313	Parallel Status Cable	72
709-0021	25 pair Cable with Connectors, 10' length	72
950-9351	Connectorized Punch Down Block	88*
950-9199	Connectorized Punch down Block (Protected) [Baseline Product]	891
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	313
815-9172	Desk Adapter for Phone Rack [Baseline Product]	595
400-0205	5.25" CRT Base	685
400-0403	Turret Base	450
400-0042	10.5" Desk Turret	750
400-0043	5.25" Vertical Extension	525
400-6753	Top Panel, with Grommet	120

## SPARES

Part Number	Description	List
951-9094	Controller Spares	528
951-9095	Dual Channel Card Spares	176
951-9060	Console Position Spares Kit (M4018)	1111

## MODEL 250 TONE REMOTE ADAPTER [Baseline Products]

Part Number	Description	List
901-9588	Model 250 Tone Remote Adapter	1044
709-7540	Generic Interface cable with flying leads	80
950-0328	Interface kit for Motorola GM 300/R1225	90
950-0329	Interface kit for Kenwood TKR-840 repeater	90
950-0330	Interface kit for Kenwood TK-690/790/890	90

## SYSTEM DOCUMENTATION

Part Number	Description	List
025-9226	Operator's Manual (Additional Copies)	50
025-9227	Installation Manual (Additional Copies)	50

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.



## SYSTEM DOCUMENTATION

025-9229	Programming Manual (Additional Copies)	50
064-0006	Pre-Shipment Configuration Manual	N/C
025-9589	Desktop Microphone Manual	50
025-9553	TRHI Manual	50
025-9585	Amplified 5W Speaker manual	50
025-9632	Headset Jackbox manual	50
395-0080	Accessory Manuals (CD contains manuals for TRHI, Headset Jackbox, Desktop Microphone and Amplified 5W Speaker)	25

## UPGRADES

Part Number	Description	List
950-0184	M4010 Firmware Upgrade	490
950-0993	M4010/4018/4118 28 pin Battery Replacement (Battery Socket)	105*
950-0885	Model 4010 Paging Firmware Upgrade Option <i>For use when adding 930-0029 and/or 930-0030 paging options to an existing Model 4010 not previously equipped with paging options.</i>	N/C
930-0089	Extended Paging Upgrade Option (J10) (System ID Required)	N/C
930-0090	Instant Call Paging Upgrade Option (J11) (System ID Required)	N/C
950-0711	Kenwood TK-x80 iRIM Firmware Upgrade	490
950-0737	Radio Interface Module EA Firmware Upgrade Option	490

## EXTENDED LIMITED WARRANTY

Part Number	Description	List
X61-1163	Extended Limited Warranty per year for Years 2 to 5 <i>4% of System List Price</i>	4% of SLP
X61-5163	Extended Limited Warranty for Coverage through Year 5 <i>14% of System List Price</i>	14% of SLP

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.



## Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

## Model 45B Z-Patch

Price Sheet 001-0011 Rev. T

The Model 45B Z-Patch is a remote-programmable telephone interconnect for multiple user systems. Powered by 12 VDC or wall transformer (optional).

Product includes manuals on CD; printed manuals are available as options.

### BASE UNIT

Part Number	Description	List
901-9143	Model 45B Z-Patch (325 user, ANI Validation) <i>Includes Two-Tone, Five-Tone, DTMF, CTCSS paging formats, and Digital Voice Delay.</i>	2025

### ACCESSORY OPTIONS

Part Number	Description	List
709-7112	Generic radio interface cable with flying leads (GE®, MASTR® II, Ericsson MASTR III)	80
950-0028	Interface cable for Motorola Radius GR1225	95
950-9919	Motorola MTR2000 cable	366
950-9958	120 VAC 60Hz Wall Transformer	42*
950-9905	220 VAC 50Hz Wall Transformer	61*
950-9164	Voice Prompts Board	223
950-9204	Rack Extender Brackets <i>Adapts Zetron 1.75" x 19" front mount rack equipment to fit rear or mid-rack rails.</i>	42
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	313
950-1203	Interface cable kit for MOTOTRBO XPR8400 radio <i>Works with XPR4300, 4350, 4500, 4550, 8300, 8400 radios</i>	360
950-1204	Interface cable kit for MOTOTRBO MTR3000 radio	148

### PROGRAMMING AND BILLING OPTIONS

Part Number	Description	List
709-7144	RS-232 PC Interface Cable, DB-9S (AT®)	90
709-9030	RS-232 PC Interface cable, DB-25S	94
025-9092	Additional Model 45B Manual	50

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

## Model 48-MAX Interconnected Repeater Panel

U.S. Pricing (USD), 002-0001 Rev. 57

Price Sheet 001-0013 Rev. V

The Model 48-MAX is a shared-customer interconnect and tone panel, available with expanded capacity, enhanced toll restriction and simplified PC programming. Includes voice prompts.

Part Number	Description	List
901-9412	Model 48-MAX Interconnected Repeater Panel - Roamer Version <i>Includes Basic and Selcall feature sets, plus an expanded, 750-user ANI database, wild ANI support, Voice Prompts (up to 9 owner-recorded messages), and SMDR (Station Message Detail Report) billing data for up to 4,000 calls.</i>	2417
<b>OPTIONS</b>		
Part Number	Description	List
709-7112	Generic radio interface cable with flying leads (GE®, MASTR® II, Ericsson MASTR III)	80
950-0028	Interface cable for Motorola Radius GR1225	95
950-9919	Motorola MTR2000 cable	366
950-0214	Motorola Quantar® Radio Interface Cable <i>Requires fitting of Quantar 8-wire wireline control board option available from Motorola for proper operation and configuration.</i>	217
950-9759	600 ohm Audio Kit <i>Not field installable, requires fitting at Zetron factory.</i>	265
950-9752	Relay Kit	133
950-9204	Rack Extender Brackets <i>Adapts Zetron 1.75" x 19" front mount rack equipment to fit rear or mid-rack rails. Recommended for Motorola MICOR®/MOTRAC type racks.</i>	42
950-9906	Programming Kit - PC cable and Z-Term software	95
901-9325	Deadbolt Lightning Surge Arrestor [Baseline Product]	313
025-9344	Additional User Manual	50
950-1203	Interface cable kit for MOTOTRBO XPR8400 radio <i>Works with XPR4300, 4350, 4500, 4550, 8300, 8400 radios</i>	360
950-1204	Interface cable kit for MOTOTRBO MTR3000 radio	148

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

Model 55B Page Buffer

Price Sheet 001-0076 Rev. L

The Model 55B Page Buffer is a store-and-forward device for remote analog and digital paging transmitters. The Page Buffer comes standard with 120 seconds of storage time, and is expandable to up to 480 seconds. Digital transmitters will require tone remote control capability, such as the Model 66 Transmitter Controller.

Part Number	Description	List
901-9317	Model 55B Page Buffer	2459
OPTIONS		
Part Number	Description	List
950-9422	120 Second Memory Expansion (Maximum of 3)	336
950-9958	120 VAC 60Hz Wall Transformer	42*
950-9905	220 VAC 50Hz Wall Transformer	61*
025-9247	Additional User Manual	50

Zetron Price Book  
\* indicates a limited discount item  
\*\* indicates a non-discountable item  
All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

Model 55D Digital Repeater

Price Sheet 001-0077 Rev. P

The Model 55D extends paging range when it is connected to a receiver and transmitter tuned to the desired paging channel. Please specify System ID and Morse Code Station ID when ordering.

Part Number	Description	List
901-9370	Model 55D Digital Repeater	2459
OPTIONS		
Part Number	Description	List
950-9678	System ID Option (for S2000 requires 702-9441 Station Card or newer)	44
950-9958	120 VAC 60Hz Wall Transformer	42*
950-9905	220 VAC 50Hz Wall Transformer	61*
025-9349	Additional User Manual	50

Zetron Price Book  
\* indicates a limited discount item  
\*\* indicates a non-discountable item  
All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

## Model 600/620 High Speed Simulcast Paging System

U.S. Pricing (USD), 002-0001 Rev. 57

Price Sheet 001-0203 Rev. M

The Model 600 Wireless Data Manager accepts TNPP input from up to three TNPP links, efficiently batches the pages with timing information from an attached GPS (not included), and delivers the pages across a link to multiple Model 620 Wireless Data Encoders. Powered by 12VDC (external power supply optional). The Model 620 Wireless Data Encoder receives batches of paging data from the Model 600, and encodes the data for POCSAG or FLEX. At the precise time indicated by an attached GPS (not included), the encoded message batch is sent to the transmitter, resulting in synchronous broadcast with other Model 620 controlled transmitters. Powered by 12VDC (external power supply optional). Each Model 600 and Model 620 requires a GPS. The GPS is not included. GPS equipment may be purchased from Zetron (call factory for pricing and availability). The GPS may be shared with other compatible devices. Software interface for Trimble GPS protocol (TSIP) included. Other GPS protocols available (call factory for details).

Part Number	Description	List
901-9608	Model 600 Wireless Data Manager <i>Includes POCSAG and basic 1600 BPS 2-level FLEX (manual included)</i>	3889
901-9609	Model 620 Wireless Data Encoder <i>Includes POCSAG and basic 1600 BPS 2-level FLEX (manual not included)</i>	3102
<b>OPTIONS (MODEL 600 ONLY)</b>		
Part Number	Description	List
930-0032	Enhanced FLEX mgmt option factory install w/ initial order req. encoding opt <i>(requires Enhanced FLEX encoding option for Model 620)</i>	1100
950-0437	***Trimble Accutime 2000 GPS Starter Kit (includes 100' cable)	4186
950-0706	***Trimble Thunderbolt GPS Starter Kit (includes 75' cable)	5665
<b>OPTIONS (MODEL 620 ONLY)</b>		
Part Number	Description	List
930-0033	Enhanced FLEX encoding opt factory install w/ initial ord. requires encoding opt <i>3200/6400 BPS 4-level FLEX with enhanced features (requires Enhanced FLEX management option for Model 600)</i>	781
950-0276	Generic Transmitter Interface Cable <i>(cables for other transmitters available - call factory for details)</i>	121
950-0436	***Trimble Accutime 2000 GPS <i>(For Each Model 620 Location, Choose One of the Cables Below)</i>	2030
950-0432	***Trimble Accutime Interface Cable 50 ft.	292
950-0433	***Trimble Accutime Interface Cable 100 ft.	413
950-0434	***Trimble Accutime Interface Cable 200 ft.	594
950-0435	***Trimble Accutime Interface Cable 400 ft.	1249
950-0707	***Trimble Thunderbolt GPS	4730
950-0708	***Trimble Thunderbolt Bullett III HE Antenna <i>(requires one Thunderbolt Power Cable for each Bullet Antenna purchased)</i>	237
950-0709	***Trimble Thunderbolt Power Cable Assembly	110
<b>OPTIONS (MODEL 600 OR MODEL 620)</b>		
Part Number	Description	List
950-0406	Power Supply, 100-240VAC input, 12VDC output, 15W	121
950-0279	Extra GPS Site Bus Terminator (included with 901-9608 and 901-9609)	44
025-9480	Extra Model 600/620 Users Manual	50
950-0407	External Maintenance Modem (includes cable)	479
709-0001	PC Interface Cable for Programming (DB9) <i>(other cables available, call factory for details)</i>	74
950-0644	GPS Connector Kit Option	77
950-0645	PC to Service Port Option	88

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## OPTIONS (MODEL 600 OR MODEL 620)

950-0643	RS-232/Trimble Thunderbolt GPS Interface Cable	77
----------	--	----

## EXTENDED LIMITED WARRANTY

\*\*\*Note: Indicated third party equipment is not covered by the limited warranty.

Part Number	Description	List
X61-1243	Extended Limited Warranty per year for Years 2 to 5 <i>4% of System List Price</i>	4% of SLP
X61-5243	Extended Limited Warranty for Coverage through Year 5 <i>14% of System List Price</i>	14% of SLP

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

## Model 66 Transmitter Controller

U.S. Pricing (USD), 002-0001 Rev. 57

Price Sheet 001-0075 Rev. Q

The Model 66 Transmitter Controller provides an interface between a link RF receiver or wireline and a paging transmitter. Product includes manuals on CD; printed manuals are available as options.

Part Number	Description	List
901-9094	Model 66 Transmitter Controller with digital modem (each radio site)	2602
901-9435	Model 66 Link Controller	2602
<b>OPTIONS (901-9094 ONLY)</b>		
Part Number	Description	List
950-9125	Transmitter Address Decoder for Model 66 (each 901-9094)	875
950-9206	Simulcast Delay Module (each 901-9094)	1315
950-0442	Selectable Function Tone Decoder Option	875
<b>OPTIONS (901-9094 OR 901-9435)</b>		
Part Number	Description	List
950-9958	120 VAC 60Hz Wall Transformer	42*
950-9905	220 VAC 50Hz Wall Transformer	61*
<b>MANUALS</b>		
Part Number	Description	List
025-9078	Additional User Manual (for 901-9094)	50
025-9370	Additional User Manual (for 901-9435)	50

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.



The Model 807 is a lower priced single site version of the Model 827 Trunking Controller. The Model 807 supports mobile dispatch service only. The unit cannot be fitted with telephone interconnect, but may be combined with the Model 827 and telephone interconnect option in single site systems requiring limited telephone access. The Model 807 supports a full range of MPT voice and data services for smaller single site systems. The Model 827 Trunking System Controller implements the MPT 1327 standard in a single controller package. Each repeater at the trunked radio site requires a model 827. All controllers are connected by a PCM bus cable (1 meter - included). Configuration software is included with the system. Only one management PC is required for interface to all channels at the site, and may be located on-site or remotely. The Model 844 4-Port Intersite Link is a control unit designed to provide an economical and efficient way to bring Intersite linking capability to your Zetron MPT 1327 trunking system. The Model 427 Peripheral Equipment Interface is a control unit designed to connect up to four MAP27 peripheral devices such as dispatcher consoles (like the Zetron Model 4217) to a Zetron MPT1327 Trunked Radio System.

**MODEL 807 TRUNKING CONTROLLER**

Part Number	Description	List
901-9636	Model 807 Single Site Dispatch Trunking Controller for MPT 1327 <i>Includes controller and starter kit containing assembled 1-meter PCM bus cable, mounting hardware, rear-panel plugs and connectors for user to construct interface and power cables. Note: that kit does not include manual or software include one per system purchase at n/c, order additional copies below.</i>	3578
025-9339	Additional Operation and Instruction Manual <i>* - See Note 1 Below</i>	50

**DATABASE MANAGEMENT SOFTWARE**

Part Number	Description	List
950-0649	M827 Database Management Software, Windows version, CD ROM <i>Pervasive PSQLv11 Workgroup license not included. Purchase and activation of PSQL is required at the time of installation.</i>  <i>* - See Note 1 Below</i>	122

**MODEL 827 TRUNKING CONTROLLER**

Part Number	Description	List
901-9605	Model 827 Trunking Controller for MPT 1327 (for version 3.xx systems only) <i>Includes controller and starter kit containing assembled 1-meter PCM bus cable, mounting hardware, rear-panel plugs and connectors for user to construct interface and power cables. Note: that kit does not include manual or software include one per system purchase at n/c, order additional copies below.</i>	4903
901-9424	Model 827 Trunking Controller for MPT 1327 (for version 2.xx systems, or earlier)	4903
950-0250	Telephone Interface Card <i>Allows PSTN interconnect or audio linking required for multi-site networks, order this for all countries not using European Union telco line/wiring standard.</i>	2253
950-0814	AU Telephone Interface Card <i>Allows PSTN interconnect or audio linking required for multi-site networks, order this for Australia customers or if specifically requested, please see line interface cable 950-9794 below.</i>	2253
950-9640	UK Telephone Interface Card <i>Allows PSTN interconnect or audio linking required for multi-site networks, order this for European Union customers or if specifically requested, please see line interface cable 950-9794 below.</i>	2253
025-9339	Additional Operation and Instruction Manual <i>* - See Note 1 Below</i>	50
950-0452	Sitewatch Software	58
M08-M827	Multisite Network Firmware Option	493

**OPTIONS & ACCESSORIES**

Part Number	Description	List
950-9794	4-Wire Telephone Interface Cable	42
950-9789	Generic Repeater Interface Cable	122
950-9925	Motorola MTR2000 Interface Cable	366



## OPTIONS & ACCESSORIES

950-9790	Control/Sense Cable (pre-assembled cable for alarm and cross-busy inputs)	122
950-9793	PCM Bus Extended Length (2 meter) Cable	191
950-9791	Power Cable (pre-assembled cable with plug and strain relief)	80
950-9792	Serial Port Cable (pre-assembled serial cable DB-9 to DB-9)	42
951-9085	Spares Parts Kits	201
950-0969	Radio Interface Kit, M827 to Kenwood TKR-x50/x51	175

## UPGRADES/UPDATES

Part Number	Description	List
950-0365	Model 827 V3.XX Flash Control Software Upgrade	175
950-0361	Model 827 V3.20+ Control Software	175
M08-M827	Multisite Network Firmware Option <i>Standard in new systems. One per each channel in system. Requires authentication number from customer and turn on code from engineering - can be accomplished remotely via modem.</i>	493

## MODEL 844 FOUR-PORT SITE INTERFACE

Part Number	Description	List
905-0163	Model 844 Four-port Site Interface (manual not included)	7690
025-9420	Model 844 User Manual <i>* - See Note 1 Below</i>	50

## MODEL 427 PERIPHERAL EQUIPMENT INTERFACE

Part Number	Description	List
905-0164	Model 427 Peripheral Equipment Interface	7690
025-9473	Model 427 Operating Manual <i>* - See Note 1 Below</i>	50

## OPTIONS

Part Number	Description	List
950-0135	UK Telco Cable	42
950-0137	Telco Cable (RJ-45)	42
950-9793	PCM Bus Extended Length (2 meter) Cable	191

## TECHNICAL TRAINING

Part Number	Description	List
-------------	-------------	------

\* - Note 1: Include one at no charge with purchase of complete system, or one each per order at no additional charge.

## Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

## Pathway Product Family

Price Sheet 001-0299 Rev. B

The Pathway series of products have been designed to provide a connection between two conventional radios with four console systems through a single TIA P25 Digital Fixed Station Interface (DFSII). Essentially acting as a proxy to a radio / base station, this device is ideal for situations that may require multiple agencies each with their own dispatch system, to access a common radio resource or for a single agency that may have a backup control center requiring connection to the same resource.

The Digital Pathway provides a connection between DFSII radios and DFSII consoles. The Analog Pathway provides a connection between 4-wire analog radios and DFSII consoles. They are not recommended for new designs and should be used as a replacement for currently installed Digital or Analog Pathway units.

The Pathway+ gateway interfaces with two conventional radios through either a DFSII, 4-wire analog, or V.24 interface. Pathway+ continues to provide a connection with up to 4 console systems via a single TIA P25 Digital Fixed Station Interface (DFSII).

NOTE: IP networks must meet the network requirements found on the Pathway+ Spec Sheet (005-1426).

### Pathway Devices

Part Number	Description	List
905-0488	Pathway+ Radio Gateway Kit	1950
905-0454	Pathway Digital Kit	2480
905-0470	Pathway Analog Kit	2480

### Pathway Single Unit Bundles

Each bundle comes with one Pathway connected to a Single Unit Rack Mount (950-0589) assembly

Part Number	Description	List
905-0502	Pathway Digital Single Unit Bundle	2595
905-0504	Pathway Analog Single Unit Bundle	2595
905-0506	Pathway+ Gateway Single Unit Bundle	2065

### Pathway Dual Unit Bundles

Each bundle comes with two Pathways connected to a Dual Unit Rack Mount (950-0588) assembly

Part Number	Description	List
905-0501	Pathway Digital Dual Unit Bundle	5120
905-0503	Pathway Analog Dual Unit Bundle	5120
905-0505	Pathway+ Gateway Dual Unit Bundle	4060

### Mounting and Power

Part Number	Description	List
950-0589	Single Unit Rack Mount Option	122
950-0588	Dual Unit Rack Mount Option	170
950-1245	Power Supply, 100-240VAC input, 12VDC output, 30W <i>Requires an AC Power Cord option below</i>	70

### AC Power Cord Options

Part Number	Description	List
416-0012	AC Power Cord (North America)	11**
416-1592	AC Power Cord (Australia)	11**
416-0020	AC Power Cord (United Kingdom)	11**
416-1593	AC Power Cord (Europe)	11**
416-1594	AC Power Cord (Japan)	53**

### Documentation

Part Number	Description	List
395-0106	Pathway Digital Gateway Manual on CD	25**
395-0134	Pathway+ Radio Gateway Manual on CD	25**

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Baseline Products

U.S. Pricing (USD), 002-0001 Rev. 57

## SCADA System

Price Sheet 001-0095 Rev. AC

Zetron offers a SCADA system that can handle up to 150 widely dispersed remote equipment sites, comprised of Zetron Remote Terminal Units (RTUs) and Controller which could be integrated with National Instrument's Lookout™ Control Program. Contact Zetron for configuration and pricing information.

### SYSTEM CONTROLLERS

Part Number	Description	List
901-9546	Model 1730 System Controller (MODBUS included)	2109
901-9273	Model 1700 System Controller	1723
950-9395	Model 1700 MODBUS Protocol Option	827

### REMOTE TERMINAL UNITS

Part Number	Description	List
901-9547	Model 1732 Core Module: 6 Slot (Zetron metal case) 8 DI, 4 DO, 1 RO	1945
901-9548	Model 1732 Core Module: 15 Slot (NEMA backplane) 8 DI, 4 DO, 1 RO	1945
901-9549	Model 1732 Core Module: 30 Slot (NEMA backplane) 8 DI, 4 DO, 1 RO	2109
901-9260	Model 1708 RTU (8 DI, 8DO, 4AI)	1272
950-0777	Model 1708 Software Upgrade <i>Option applies to products shipped BEFORE 07/07/2015</i>	445
950-1299	Model 1708 Software Upgrade <i>Option applies to products shipped AFTER 07/07/2015</i>	445
950-0333	Model 1708 MODBUS Option <i>Option applies to products shipped BEFORE 07/07/2015</i>	466
950-1238	Model 1708 Modbus Option <i>Option applies to products shipped AFTER 07/07/2015</i>	466
901-9261	Model 1716 RTU (16 DI, 16 DO, 8 AI, 4 AO)	1802
950-0778	Model 1716 Software Upgrade <i>Option applies to products shipped BEFORE 07/07/2015</i>	445
950-1300	Model 1716 Software Upgrade <i>Option applies to products shipped AFTER 07/07/2015</i>	445
950-0334	Model 1716 MODBUS Option <i>Option applies to products shipped BEFORE 07/07/2015</i>	466
950-1239	Model 1716 Modbus Option <i>Option applies to products shipped AFTER 07/07/2015</i>	466

### INTEGRATED ENCLOSURES (for Model 1700, 1708, 1716; RTU NOT INCLUDED)

Part Number	Description	List
950-9598	Model 1795 steel NEMA 4, 20x24x8, 7Ah battery/charger/supply	1791
950-9599	Model 1796 fiberglass NEMA 4X, 20x22x8, 7Ah battery/charger/supply	2369
950-9600	Model 1797 fiberglass NEMA 4X, 13x15x6, 7Ah battery/charger/supply	1617

### MODEL 1730/1732 COMMUNICATION INTERFACES

Part Number	Description	List
950-9887	Model 1730/1732 Radio Interface Module	498

### MODEL 1730/1732 PROCESS INTERFACES

Part Number	Description	List
950-9883	Analog Input Module (11 channels, 12 bit res.)	625
950-9884	Digital I/O Module (16 selectable input/output channels)	461
950-9885	Analog Output Module (4 channels, 4-20mA or 0-5 volts, 8 bit res.)	588
950-9886	Relay Output Module (6 form C, 2A @ 30 VDC or 120 VAC)	413

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## MODEL 1730/1732 POWER MODULES

Part Number	Description	List
950-9890	120 VAC Power Module	413
950-9891	Battery Charger Module	175
950-9733	12 VDC, 7 AH Gel Cell Battery	90
950-0108	220 VAC Power Module	390

## SOFTWARE OPTIONS

Part Number	Description	List
950-0050	Additional 1730/1732 Configuration Utility <i>(To be included at no charge with a system as approved by the appropriate product specialist.)</i>	413

## ENCLOSURES (FOR MODEL 1730, 1732)

Part Number	Description	List
950-0043	Large NEMA Steel Enclosure	519
950-9993	6 Slot Expansion Z-Box	175
415-0318	Large NEMA Mounting Plate (30 Slot)	201
415-0234	Medium NEMA Mounting Plate (15 Slot)	95

## OTHER OPTIONS

Part Number	Description	List
709-0001	PC Interface Cable for Programming (DB9)	74
709-7144	RS-232 PC Interface Cable, DB-9S (AT®)	90
709-7308	Motorola Radius® Cable	95
395-0031	SCADA Product Documentation CD <i>Covers Models 1700, 1708, 1716, 1730, 1732. Included with product. PDF versions of all manuals can be downloaded from the reseller website, and are available from Customer Care upon request.</i>	25
025-9445	1730/1732 Configuration Utility Manual	50
025-9406	Model 1730/1732 Users Manual	50
025-9209	Model 1708/1716 Users Manual	50
025-9210	Model 1700 Users Manual	50

## SPARES

Part Number	Description	List
950-0141	Model 1732 Spare Core Module	1882
950-0142	Model 1730 Spare Core Module	1945

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

These access control and video intercom solutions provide an IP-to-the-door solution that eliminates needless complexity and scale to support small, enterprise and campus wide applications.

IP access control eliminates the need for control panels, separate power supplies and dedicated hard wiring to provide controlled access. Reader-Controllers offer patented technology that integrates seamlessly with SentryVMS software, providing more simplicity, greater value and total flexibility.

### IPVC Isonas Reader Controllers

Part Number	Description	List
683-1395	Reader, PowerNet, Mullion	689*
683-1396	Reader, PowerNet, Mullion with Keypad	789*
683-1393	Reader, PowerNet, Mullion	979*
683-1394	Reader, PowerNet, Mullion with Keypad	1079*

### IPVC Isonas Pigtail Cable Options

Part Number	Description	List
683-1372	4' Power I/O Pigtail	28*
683-1370	10' Power I/O Pigtail	40*
683-1371	25' Power I/O Pigtail	57*

### IPVC Isonas IP Bridge

Part Number	Description	List
683-1378	IPBridge controlling up to 1 IP and 2 Wiegand devices	850*
683-1379	IPBridge controlling up to 1 IP and 3 Wiegand devices	1200*

### IPVC Isonas IP Bridge Cable Options

Part Number	Description	List
683-1380	3 inch network cable with "2" connectors for daisy chaining IPbridge's network connection from one to the next	6*
683-1381	3 foot power cable with "1" connector for connecting external power to the first IPbridge	9*
683-1382	3 inch DC power cable with "2" connectors for daisy chaining IPbridge's external power from one to the next	9*

### IPVC Isonas Software Products

Part Number	Description	List
683-1368	Active Directory Bridge	999*
683-1377	EasyWeb 2015 Access Control System	499*
683-1369	Badge printing software	299*

### IPVC Isonas Services Maintenance & Extended Warranty

Part Number	Description	List
683-1403	PRC-001B Annual Service Maintenance	39*
683-1404	RC-01 Annual Service Maintenance	39*
683-1401	Bundle First & Second Year Extended Warranty	55*
683-1397	Annual Extended Warranty 1 to 9 readers	73*
683-1398	Annual Extended Warranty 10 to 24 readers	66*
683-1400	Annual Extended Warranty 25 to 74 readers	55*
683-1402	Annual Extended Warranty 74 to 149 readers	47*
683-1399	Annual Extended Warranty 150 or more readers	36*

## IPVC Isonas Accessories

Part Number	Description	List
683-1410	Trim kit	30*
683-1362	External Door Kit	60*
683-1363	In-rush suppressor	28*
683-1366	Desk stand	32*
683-1364	Secondary Relay Module (2 access points)	23*
683-1365	Secondary Relay Module (4 access points)	35*
683-1367	Serial to Wiegand Convertor	48*
683-1361	Back EMF Diode Replacement	4*

## IPVC ISONAS (125 kHz) Proximity Credentials

Part Number	Description	List
683-1010	Cap Tags - Units: 0001 --- 0049	4.25
683-1373	Cap Tags - Units: 0050 --- 0499	4*
683-1374	Cap Tags - Units: 0500 --- 0999	4*
683-1375	Cap Tags - Units: 1000 --- 2499	4*
683-1376	Cap Tags - Units: 2500 --- and up	3*
683-1383	Key Fobs - Units: 0001 --- 0049	5*
683-1384	Key Fobs - Units: 0050 --- 0499	5*
683-1385	Key Fobs - Units: 0500 --- 0999	5*
683-1386	Key Fobs - Units: 1000 --- 2499	4*
683-1387	Key Fobs - Units: 2500 --- and up	4*
683-1388	Clamshell Cards - Units: 0001 --- 0049	5*
683-1389	Clamshell Cards - Units: 0050 --- 0499	4*
683-1390	Clamshell Cards - Units: 0500 --- 0999	4*
683-1391	Clamshell Cards - Units: 1000 --- 2499	4*
683-1392	Clamshell Cards - Units: 2500 --- and up	4*
683-1405	Thin Cards - Units: 0001 --- 0049	6*
683-1406	Thin Cards - Units: 0050 --- 0499	6*
683-1407	Thin Cards - Units: 0500 --- 0999	6*
683-1408	Thin Cards - Units: 1000 --- 2499	5*
683-1409	Thin Cards - Units: 2500 --- and up	5*

## Demonstration Kits

Part Number	Description	List
905-0472	3 Camera Security Demo Kit, 2 Fixed and 1 PTZ Camera, Access Control	12900
905-0473	4 Camera Security Demo Kit, 4 Fixed Cameras, Access Control	12400
683-1084	AVF-Demo Kit Integrated Demo Unit including SentryVMS & Avfusion	5557

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.



These cameras and related accessories support our VMS and security integration product lines. They provide the flexibility to address a wide range of VMS needs from robust outdoor cameras for harsh climates, to discreet products for sensitive environments. The cameras provide a number of capabilities – HDTV, wide dynamic range, and infrared to name a few – which ensure clear video even in difficult lighting conditions. Some cameras can also provide advanced video analytics features, such as motion detection, audio detection and tampering alarm. Our cameras offer a way to reduce the total cost of system ownership by eliminating reoccurring licensing costs for the appropriate models.

For customers seeking to retain use of their analog cameras while migrating to an IP video management solution, we also offer cost-effective encoders. Available to support 1, 4, 8 and 16 channels, these devices turn traditional analog video into an H.264 video stream, allowing the cameras to be viewed and controlled just like IP cameras connected to the network.

**INDOOR/OUTDOOR DOMES**

Part Number	Description	List
683-1256	Outdoor 2MP, IR Vandal Camera with Fixed Focal 2.9mm, F2.5 lens H.264/MJPEG, PoE, 8 hour battery operation, 1920 x 1080 resolution, 30 fps, Progressive Scan CMOS, built in Microphone and Speaker, wireless and 4G/LTE connectivity option, MicroSDHC/MicroSDXC memory card slot. White Housing.	1495
683-1255	Outdoor 2MP, IR Vandal Camera with Fixed Focal 2.9mm, F2.5 lens H.264/MJPEG, PoE, 8 hour battery operation, 1920 x 1080 resolution, 30 fps, Progressive Scan CMOS, built in Microphone and Speaker, wireless and 4G/LTE connectivity option, MicroSDHC/MicroSDXC memory card slot. Black Housing.	1495
683-1100	VN-Z14 - Indoor/Outdoor 1.3 MP, IR Vandal Dome, 4mm lens @F2.0, 0 Lux with IR,	329
683-1007	Indoor/Outdoor 3 MP, IR Vandal Dome, 4mm @F2.0, 0 Lux with IR,PoE, H.264/MJPEG, ..Progressive Scan CMOS, 3 year Warranty..	386
683-1024	Indoor/Outdoor 3 MP, IR Vandal Dome, 2.8mm @F2.0, 0 Lux with IR,PoE, H.264/MJPEG, ..Progressive Scan CMOS, 3 year Warranty.	386
683-1110	VN-Z47 - 3 MP Mini Vandal Proof Outdoor IP66, 4mm lens@F1.8, H.264/MPEG4/MJPEG, PoE, SD Card, IR, audio input, 3 year warranty,	606
683-1026	Outdoor 3MP, Vandal Dome, Auto Iris, 2.7~9mm @F1.6, IR Cut Filter, PoE, H.264/MPEG4/MJPEG, WDR Built in analytics	1428
683-1025	Outdoor 4MP, Vandal Dome, 3.3-12mm @ F1.4 lens, 3.6 optical zoom, H.264/MPEG4/MJPEG, Progressive scan CMOS, IP66, WDR, 3 year warranty	1211
683-1027	Indoor/Outdoor 5MP, IP68 rated, Fixed focal 360 camera, F1.19 mm @ F2.0, Fisheye lens, H.264/MJPEG, PoE, 2592 x 1942 resolution, 15 fps, Progressive Scan CMOS, audio input via 3.5mm jack, MicroSDHC/MicroSDXC memory card slot, 3 year warranty.	985

**INDOOR DOMES**

Part Number	Description	List
683-1109	VN-Z44 - Indoor 2MP, Vandal Dome, Auto Iris, Motorized 2.8~9mm @F1.4 lens, PoE, H.264/MPEG4/MJPEG, 64GB SD storage support, digital WDR, Two-way audio, On board analytics,	1025
683-1112	VN-Z54 - Indoor 3MP, Vandal Dome, Auto Iris, 2.7~9mm @F1.6, IR Cut Filter, PoE, H.264/MPEG4/MJPEG, WDR Built in analytics	1248

**INDOOR/OUTDOOR BULLET**

Part Number	Description	List
683-1101	VN-Z15 - Indoor/Outdoor 1.3MP, IR Bullet, 6mm@F1.2, 0 Lux with IR, PoE, H.264/MPEG4/MJPEG	329
683-1108	VN-Z35 - Indoor/Outdoor 3MP, IR Bullet, 6mm@F2.0, 0 Lux with IR, PoE, H.264/MJPEG	386
683-1114	VN-Z55 - Outdoor 3MP, IP66, Vandal Bullet, Auto Iris, Motorized 2.8~12mm @F1.4 lens, PoE, H.264/MPEG4/MJPEG, Progressive Scan CMOS, 64GB SD storage support, True WDR 120 db, Built-in heater (-40°F - 140°F), two-way audio, On board analytics	1234
683-1105	VN-Z33 - Outdoor 4MP, 18X Zoom with built in F4.7-84.6mm@F1.6 lens, 0 Lux with IR, H.264/MPEG4/MJPEG, PoE	1557

**PTZ**

Part Number	Description	List
-------------	-------------	------

## PTZ

683-1028	Outdoor 2MP, 20X Optical Zoom, 4.7-94mm @F1.6-F3.5, .05 Lux, H.264/MPEG4/MJPEG, 24 VAC	2614
683-1103	VN-Z210 - Mini PTZ, 2MP, POE, 10X Zoom, Low Light	1400

## IPVC ENCODERS

Part Number	Description	List
683-1115	VN-ZE1 - 1 Channel Video Encoder H.264	324*
683-1117	VN-ZE4 - 4 Channel Video Encoder H.264	820*
683-1118	VN-ZE8 - 8 Channel Video Encoder H.264	1329*
683-1116	VN-ZE16 - 16 Channel Video Encoder H.264	1689*

## IPVC MOUNTING BRACKETS & Accessories

Part Number	Description	List
683-1030	Ceiling mount for the VN-Z14, VN-Z34 and VN-Z34W fixed dome cameras	50
683-1294	Wall mount for the VN-Z14, VN-Z34 and VN-Z34W fixed dome cameras	54
683-1037	Flush mount (recessed ceiling) for the VN-Z44/VN-Z54 fixed dome cameras	85
683-1034	Wall mount for the VN-Z44/VN-Z54 fixed dome cameras	105
683-1035	Pendant mount for the VN-Z44/VN-Z54 fixed dome cameras	84
683-1033	Ceiling mount for the VN-Z47 fixed dome camera	32
683-1032	Pendant mount for the VN-Z47 fixed dome camera	125
683-1031	Wall mount for the VN-Z47 fixed dome camera	108
683-1036	Pole mount for the VN-Z44/VN-Z54 fixed dome cameras	70
683-1313	Smoke Dome for IPV-44 and IPV-54 cameras	50
683-1049	Flush mount (recessed ceiling) for the VN-Z210 PTZ dome camera	118
683-1039	Straight tube pendant mount for VN-Z31 & VN-Z210 cameras	210
683-1041	Pole mount for the VN-Z31 fixed dome camera	210
683-1044	Corner Mounting Bracket for the VN-Z31 fixed dome camera	255
683-1040	Flushed mount (recessed ceiling) for the VN-Z31 fixed dome camera	124
683-1042	Indoor/Outdoor Mount Kit for VN-Z31	150
683-1043	Gooseneck for the VN-Z31 fixed dome camera	313
683-1311	Parapet Mount for the IPV-200 camera	159
683-1057	Flushed mount (recessed ceiling) for the VN-Z200 PTZ dome camera	159
683-1054	Wall mount for the VN-Z200 PTZ dome camera	74
683-1058	Pole mount for the VN-Z200 PTZ dome camera	110
683-1288	IPV-200 Corner Mount	107
683-1056	Ceiling mount for the VN-Z200 PTZ dome camera	47
683-1055	Pendant mount for the VN-Z200 PTZ dome camera	104
683-1310	IPV-200 Clear Dome	63
683-1312	IPV-200 Smoked Dome	78
683-1291	Mini dome extension pole to be used in conjunction with the IPV-MD-ST and IPV- MD-MK pendant mount accessories for pendant mounting the IPV-5360 camera. The extension pole adds an additional 24" of length	90
683-1293	Mini dome extension pole to be used in conjunction with the IPV-MD-ST and IPV- MD-MK pendant mount accessories for pendant mounting the IPV-5360 camera. The extension pole adds an additional 24" of length.	65
683-1292	Mini dome mounting kit; to be used in conjunction with the IPV-MD-ST in a pendant mount application for the IPV-5360 camera.	38
683-1290	Mini dome straight tube; to be used in conjunction with the IPV-MD-MK in a pendant mount application for the IPV-5360 camera. Tube is approximately 12" in length and 1.25" in diameter.	135
683-1289	Mini Dome Wall Mount for the IPV-5360 and other IPV Series mini dome cameras	60

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.



## IPVC MOUNTING BRACKETS & Accessories

683-1295	Outdoor dome wall mount bracket, works with IPV-31 and IPV-210 cameras	125
683-1314	Mini dome pendant mount kit. Includes IPV-MD-ST and IPV-MD-MK and allows for pendant mounting the IPV-5360 camera. Pole length is approximately 24	172

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Security

## Security Integration and Management - C3fusion

U.S. Pricing (USD), 002-0001 Rev. 57

Price Sheet 001-0305 Rev. B

These integration and management solutions help to filter and prioritize the data generated by the integrated security sub-systems. This data can come from IoT devices and sensors. From this data a Common Operating Picture (COP) is provided that enables security personnel to make informed decisions with improved situational awareness. Case management tools provide workflows to take control of a security event and efficiently resolve the incident. Archived incidents can be reviewed or used in forensic analysis.

### IPVC C3 FUSION Enterprise

Part Number	Description	List
683-1358	C3 Fusion Server Software Site License w Server & MS SQL Standard Ed.	333335
683-1347	C3 Fusion Client Software 4 Monitoring Station Base License	8335
683-1348	C3 Fusion Client Software Single Monitoring Station License	3335
683-1354	C3F Security Sub System Site License	31670
683-1355	C3 Fusion Sub System Sensors 100 Pack	10000
683-1357	C3 Fusion Sub System Sensors 500 Pack	40670
683-1356	C3 Fusion Sub System Sensors 1000 Pack	66670
683-1360	C3F Training per hour	583
683-1349	C3F Design/Configuration Engineer per hour	533
683-1359	C3F Yearly Server Support and Maintenance 12% of Price	40000

### IPVC C3 FUSION Basic

Part Number	Description	List
683-1339	C3 Fusion Basic Server Site License for 3 Supported Sub Systems with 200 Sensors Included	40000
683-1343	C3 Fusion Basic Sub System License	10000
683-1340	C3 Fusion Basic Client Software 4 Monitoring Station Base License	8335
683-1341	C3 Fusion Basic Client Software Single Monitoring License	2670
683-1344	C3 Fusion Sub System Sensors 100 Pack	8335
683-1346	C3F Training per hour	583
683-1342	C3F Design/Configuration Engineer per hour	533
683-1345	C3 Fusion Basic Server Yearly Support and Maintenance 12% of Price	4800

### IPVC C3 FUSION Lite

Part Number	Description	List
683-1350	C3Fusion Lite Server Site License for Sentry VMS Video/Event Connections Only with 100 Sensors Included	23400
683-1351	C3Fusion Lite Client Software 4 Monitoring Station Base License	8400
683-1352	C3Fusion Lite Client Software Single Monitoring License	2500
683-1353	C3Fusion Lite Server Yearly Support and Maintenance 10% of Price	2810

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

AVfusion® is an easy-to-install, easy-to use, network-based audio/video recording system designed to generate frame-by-frame, synchronized A/V recordings. Use AVfusion to record any sort of activity that requires the ability to allow others to "watch and listen" ... to demonstrations, consultations, simulations, presentations, interrogations...all without actually being there. Recording is as simple as clicking a button, and recorded files can be shared and viewed using standard multimedia players used by today's computers, tablets and phones.

AVfusion is a custom-built AV recording solution that works with network (IP) video cameras like those used in the security industry. Set up your cameras to record in whatever locations you desire -- interview rooms, treatment or testing sites, auditoriums, classrooms -- and the AV recording is transmitted over the network to a central recording location. Connect many cameras to a single AVfusion video server and record multiple sessions simultaneously.

### AVFusion Solution Components

Part Number	Description	List
683-1216	PRO Desktop with 4TB storage, Intel G3250 processor, 8GB RAM, Dual NIC, 3 Year Warranty, 24/7 Helpdesk	3030
683-1224	PRO Desktop with 8TB storage, Intel G3250 processor, 8GB RAM, Dual NIC, 3 Year Warranty, 24/7 Helpdesk	3710
683-1208	PRO Desktop with 12TB storage, Intel G3250 processor, 8GB RAM, Dual NIC, 3 Year Warranty, 24/7 Helpdesk	4480
683-1284	PROPLUS 9TB 2U RAID5 with 3TB Drives, Intel Xeon E3 processor, 8GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	9200
683-1280	PROPLUS 12TB 2U RAID5 with 6TB Drives, Intel Xeon E3 processor, 8GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	10400
683-1148	VRZ-EDGE-8-RAID1 - EDGE 8TB 2U RAID1 with 4TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	14770
683-1137	VRZ-EDGE-16-RAID1 - EDGE 16TB 2U RAID1 with 4TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	18910
683-1142	VRZ-EDGE-24-RAID1 - EDGE 24TB 2U RAID1 with 6TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	25370
683-1237	AVfusion software license, per PTZ camera	2500
683-1236	AVfusion software license, per FIXED camera	1000
683-1238	AVfusion base server software license	1995
683-1235	AVfusion base client software license	495
683-1287	AVfusion software license, per additional camera	575
683-1078	Panasonic Fixed 720P HD Camera with Audio, WV-SFN311	1330
683-1241	Panasonic Fixed 1080P HD Camera with Audio, WV-SFN531	711
683-1077	Panasonic PTZ Camera with Audio, WV-SC385	4830
683-1242	AXIS P3365-V - Day/night fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom.	799*
683-1249	AXIS P5515 60HZ - Compact PTZ camera, 360° pan with auto-flip, HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 1080P (1920x1080) resolution at 30 fps frame rate.	1199*
683-1243	AXIS V5915 60HZ - Generic PTZ camera with 30x zoom, autofocus and HDTV 1080p resolution at 60/fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, WDR, EIS. HDMI, 3G-SDI, XLR-3 for studio connectivity. CD-audio quality in stereo. Compliance with SMPTE 274M Power supply and wall mount bracket are included.	2599*
683-1244	AXIS F41 Main Unit. To be used with any of AXIS F Series Sensor Units. Supports full HDTV 1080p and WDR - Forensic Capture. Two way audio, 4 configurable I/Os with 12 V output and RS232. Supports Edge Storage through NAS or SD card (optional). PoE and 8-28 V DC support.	449*
683-1245	AXIS F1005-E Sensor Unit. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution. Includes one AXIS F8201 Vari-angle Mounting Bracket.	269*

## AVFusion Solution Components

683-1246	AXIS F1015 Sensor Unit. Vari-focal lens that provides 53° - 108° horizontal FOV. Full HDTV 1080p resolution. Includes one AXIS F8201 Vari-angle Mounting Bracket.	299*
683-1247	AXIS F1025 Sensor Unit. Pinhole lens that provides 92° horizontal FOV. Full HDTV 1080p resolution. Includes one AXIS F8202 Straight Mounting Bracket.	269*
683-1248	AXIS F1035-E Sensor Unit. Fisheye lens that provides 194° horizontal FOV. Full HDTV 1080p resolution. Includes one AXIS F8201 Vari-angle Mounting Bracket.	269*
683-1254	AXIS F8212 TRIM RING 10PCS. Trim ring for discreet mounting of AXIS F1005-E and F1035-E. 10 PCS.	99*
683-1250	AXIS F8203 FIXED MT BRACKET 5PCS. Metal bracket for stable mounting of AXIS F1005-E, F1015 and F1035-E. Variety of holes for screws for flexible mounting. Comes in a pack of 5.	149*
683-1252	AXIS F8235 FISHEYE ACCESSORY. Discreet accessory to mount an AXIS F1035-E in a ceiling. Perfect for overview in small rooms or in parts of a larger room. Can easily be repainted to fit ceiling color.	39*
683-1253	AXIS F8211 PINHOLE TRIM RING 10PCS. Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.	59*
683-1251	AXIS F8225 PINHOLE ACCESSORY. Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92° horizontal FOV. Used to get overview of rooms or of a door. Can easily be repainted to fit ceiling color.	39*
683-1240	Wall Mounted Start/Stop Recording Switch w/ Book Mark Key FOB	700
683-1081	Ceiling Microphone - Power Interface PreAmp- Wall Mount Mute Switch	1053
683-1234	Outdoor Microphone -Mic level microphone Designed for outdoor applications Single-gang weather resistant bell boxOmni-directional, within 30' diameter circle 20' of 3.5 stereo cable included	440
683-1075	Suspended Ceiling Microphone	300
683-1088	Desk Microphone	250
683-1089	Rolls Pre-Amp	317
683-1068	CBI MLC20 Low Z XLR Microphone Cable, 20 Foot	50
683-1066	Cables Unlimited AUD-1100-25 3.5 mm 25 feet Male to Male Stereo Cable	40
683-1083	3.5mm Male to 2 x 3.5mm Female Slim Stereo Splitter Cable	27
683-1065	Gold Plated Metal 6.35mm (1/4-inch) Stereo Plug to 3.5mm Stereo Jack Adaptor	10

## SOFTWARE UPGRADES & PROTECTION (SUPS)

Part Number	Description	List
683-1333	Software Upgrade Protection 1 Avfusion Base License, 1 Year	359
683-1334	Software Upgrade Protection 1 Avfusion Base License, 2 Year	658
683-1335	Software Upgrade Protection 1 Avfusion Base License, 3 Year	898
683-1336	Software Upgrade Protection 1 Year per camera	180
683-1337	Software Upgrade Protection 2 Year per camera	330
683-1338	Software Upgrade Protection 3 Year per camera	450

## AVFusion Add-On Products (After Purchased Bundle)

Part Number	Description	List
683-1216	PRO Desktop with 4TB storage, Intel G3250 processor, 8GB RAM, Dual NIC, 3 Year Warranty, 24/7 Helpdesk	3030
683-1224	PRO Desktop with 8TB storage, Intel G3250 processor, 8GB RAM, Dual NIC, 3 Year Warranty, 24/7 Helpdesk	3710
683-1208	PRO Desktop with 12TB storage, Intel G3250 processor, 8GB RAM, Dual NIC, 3 Year Warranty, 24/7 Helpdesk	4480
683-1284	PROPLUS 9TB 2U RAID5 with 3TB Drives, Intel Xeon E3 processor, 8GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	9200
683-1280	PROPLUS 12TB 2U RAID5 with 6TB Drives, Intel Xeon E3 processor, 8GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	10400
683-1148	VRZ-EDGE-8-RAID1 - EDGE 8TB 2U RAID1 with 4TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	14770

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## AVFusion Add-On Products (After Purchased Bundle)

683-1137	VRZ-EDGE-16-RAID1 - EDGE 16TB 2U RAID1 with 4TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	18910
683-1142	VRZ-EDGE-24-RAID1 - EDGE 24TB 2U RAID1 with 6TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	25370
683-1237	AVfusion software license, per PTZ camera	2500
683-1236	AVfusion software license, per FIXED camera	1000
683-1238	AVfusion base server software license	1995
683-1235	AVfusion base client software license	495
683-1287	AVfusion software license, per additional camera	575
683-1078	Panasonic Fixed 720P HD Camera with Audio, WV-SFN311	1330
683-1241	Panasonic Fixed 1080P HD Camera with Audio, WV-SFN531	711
683-1077	Panasonic PTZ Camera with Audio, WV-SC385	4830
683-1242	AXIS P3365-V - Day/night fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom.	799*
683-1249	AXIS P5515 60HZ - Compact PTZ camera, 360° pan with auto-flip, HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 1080P (1920x1080) resolution at 30 fps frame rate.	1199*
683-1243	AXIS V5915 60HZ - Generic PTZ camera with 30x zoom, autofocus and HDTV 1080p resolution at 60/fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, WDR, EIS. HDMI, 3G-SDI, XLR-3 for studio connectivity. CD-audio quality in stereo. Compliance with SMPTE 274M Power supply and wall mount bracket are included.	2599*
683-1244	AXIS F41 Main Unit. To be used with any of AXIS F Series Sensor Units. Supports full HDTV 1080p and WDR - Forensic Capture. Two way audio, 4 configurable I/Os with 12 V output and RS232. Supports Edge Storage through NAS or SD card (optional). PoE and 8-28 V DC support.	449*
683-1245	AXIS F1005-E Sensor Unit. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution. Includes one AXIS F8201 Vari-angle Mounting Bracket.	269*
683-1246	AXIS F1015 Sensor Unit. Vari-focal lens that provides 53° - 108° horizontal FOV. Full HDTV 1080p resolution. Includes one AXIS F8201 Vari-angle Mounting Bracket.	299*
683-1247	AXIS F1025 Sensor Unit. Pinhole lens that provides 92° horizontal FOV. Full HDTV 1080p resolution. Includes one AXIS F8202 Straight Mounting Bracket.	269*
683-1248	AXIS F1035-E Sensor Unit. Fisheye lens that provides 194° horizontal FOV. Full HDTV 1080p resolution. Includes one AXIS F8201 Vari-angle Mounting Bracket.	269*
683-1254	AXIS F8212 TRIM RING 10PCS. Trim ring for discreet mounting of AXIS F1005-E and F1035-E. 10 PCS.	99*
683-1250	AXIS F8203 FIXED MT BRACKET 5PCS. Metal bracket for stable mounting of AXIS F1005-E, F1015 and F1035-E. Variety of holes for screws for flexible mounting. Comes in a pack of 5.	149*
683-1252	AXIS F8235 FISHEYE ACCESSORY. Discreet accessory to mount an AXIS F1035-E in a ceiling. Perfect for overview in small rooms or in parts of a larger room. Can easily be repainted to fit ceiling color.	39*
683-1253	AXIS F8211 PINHOLE TRIM RING 10PCS. Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.	59*
683-1251	AXIS F8225 PINHOLE ACCESSORY. Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92° horizontal FOV. Used to get overview of rooms or of a door. Can easily be repainted to fit ceiling color.	39*
683-1240	Wall Mounted Start/Stop Recording Switch w/ Book Mark Key FOB	700
683-1081	Ceiling Microphone - Power Interface PreAmp- Wall Mount Mute Switch	1053
683-1234	Outdoor Microphone -Mic level microphone Designed for outdoor applications Single-gang weather resistant bell boxOmni-directional, within 30' diameter circle 20' of 3.5 stereo cable included	440
683-1075	Suspended Ceiling Microphone	300
683-1088	Desk Microphone	250
683-1089	Rolls Pre-Amp	317
683-1068	CBI MLC20 Low Z XLR Microphone Cable, 20 Foot	50
683-1066	Cables Unlimited AUD-1100-25 3.5 mm 25 feet Male to Male Stereo Cable	40

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.



**AVFusion Add-On Products (After Purchased Bundle)**

683-1083	3.5mm Male to 2 x 3.5mm Female Slim Stereo Splitter Cable	27
683-1065	Gold Plated Metal 6.35mm (1/4-inch) Stereo Plug to 3.5mm Stereo Jack Adaptor	10

**AVfusion Bundles Per Room - Including Server with Storage**

Part Number	Description	List
683-1230	1-room system with 1-PRO Server 4TB, 1-Axis PTZ and 1-Axis fixed camera	10988
683-1231	2-room system with 1-PRO Server 4TB, 2-Axis PTZ and 2-Axis fixed cameras	18345
683-1232	3-room system with 1-PRO Server 8TB, 3-Axis PTZ and 3-Axis fixed cameras	26383
683-1233	4-room system with 1-PRO Server 8TB, 4-Axis PTZ and 4-Axis fixed cameras	33741

**Bundles Per Room - Per Room Bundle Excluding Server**

Part Number	Description	List
683-1331	Bundled cost per room which includes the following: (2) Fixed Dome Cameras with Audio, AVfusion software license per camera, Wall Mounted Start/Stop Recording Switch, Book Mark Key FOB, Ceiling Microphone with PreAmp, (2) 25 feet Male to Male Stereo Cable. Add one of IPVideo's preconfigured servers for the AVfusion application and/or video storage, or utilize your own server and an existing SAN, NAS or other long-term storage device.	7453
683-1332	Bundled cost per room which includes the following: (2) PTZ Cameras with Audio (not including Axis V59), AVfusion software license per camera, Wall Mounted Start/Stop Recording Switch, Book Mark Key FOB, Ceiling Microphone with PreAmp, (2) 25 feet Male to Male Stereo Cable. Add one of IPVideo's preconfigured servers for the AVfusion application and/or video storage, or utilize your own server and an existing SAN, NAS or other long-term storage device.	11253
683-1239	Bundled cost per room which includes the following: (1) Fixed Dome Camera with Audio, (1) PTZ Camera with Audio (not including Axis V59), AVfusion software license per camera, Wall Mounted Start/Stop Recording Switch, Book Mark Key FOB, Ceiling Microphone with PreAmp, (2) 25 feet Male to Male Stereo Cable. Add one of IPVideo's preconfigured servers for the AVfusion application and/or video storage, or utilize your own server and an existing SAN, NAS or other long-term storage device.	9353

**Demonstration Kits**

Part Number	Description	List
905-0472	3 Camera Security Demo Kit, 2 Fixed and 1 PTZ Camera, Access Control	12900
905-0473	4 Camera Security Demo Kit, 4 Fixed Cameras, Access Control	12400
683-1084	AVF-Demo Kit Integrated Demo Unit including SentryVMS & Avfusion	5557

These purpose built devices can address a wide range of VMS needs. They support our VMS and security integration product lines by providing reliable servers, clients and database platforms designed for VMS operations. The hardware can scale from a small numbers of cameras with limited storage to a large enterprise system with demanding storage requirements.

**IPVC PRO No RAID 2 Bays**

Part Number	Description	List
683-1206	VRZ-PRO-0 - PRO Desktop Base	2110
683-1211	PRO Desktop with 2TB storage, Intel G3250 processor, 8GB RAM, 1G NIC, 1 Year Warranty, optional 3 year NBD on site replacement	2580
683-1215	PRO Desktop with 4TB storage, Intel G3250processor, 8GB RAM, 1G NIC, 1 Year Warranty, optional 3 year NBD on site replacement	2910
683-1219	PRO Desktop with 6TB storage, Intel G3250 processor, 8GB RAM, 1G NIC, 1 Year Warranty, optional 3 year NBD on site replacement	3250
683-1021	PRO Desktop with 8TB storage, Intel G3250 processor, 8GB RAM, 1G NIC, 3 Year Warranty	3450
683-1207	PRO Desktop with 12TB storage, Intel G3250 processor, 8GB RAM, 1G NIC, 1 Year Warranty, optional 3 year NBD on site replacement	4190
683-1212	PRO Desktop with 2TB storage, Intel G3250 processor, 8GB RAM, Dual NIC, 1 Year Warranty, optional 3 year NBD on site replacement	2700
683-1216	PRO Desktop with 4TB storage, Intel G3250 processor, 8GB RAM, Dual NIC, 3 Year Warranty, 24/7 Helpdesk	3030
683-1220	PRO Desktop with 6TB storage, Intel G3250 processor, 8GB RAM, Dual NIC, 1 Year Warranty, optional 3 year NBD on site replacement	3390
683-1224	PRO Desktop with 8TB storage, Intel G3250 processor, 8GB RAM, Dual NIC, 3 Year Warranty, 24/7 Helpdesk	3710
683-1208	PRO Desktop with 12TB storage, Intel G3250 processor, 8GB RAM, Dual NIC, 3 Year Warranty, 24/7 Helpdesk	4480

**IPVC PRO RackMount No RAID 2 Bays**

Part Number	Description	List
683-1213	VRZ-PRO-2R - PRO 2U RACKmount with 2TB storage, Intel i3 processor, 8GB RAM, 1G NIC, 3 Year Warranty	4130
683-1217	VRZ-PRO-4R - PRO 2U RACKmount with 4TB storage, Intel i3 processor, 8GB RAM, 1G NIC, 3 Year Warranty	4460
683-1221	VRZ-PRO-6R - PRO 2U RACKmount with 6TB storage, Intel i3 processor, 8GB RAM, 1G NIC, 3 Year Warranty	4700
683-1022	PRO 2U RACKmount with 8TB storage, Intel i3 processor, 8GB RAM, 1G NIC, 3 Year Warranty	5140
683-1209	VRZ-PRO-12R - PRO 2U RACKmount with 12TB storage, Intel i3 processor, 8GB RAM, 1G NIC, 3 Year Warranty	5900
683-1214	VRZ-PRO-2R-DN - PRO 2U RACKmount with 2TB storage, Intel i3 processor, 8GB RAM, Dual NIC, 3 Year Warranty	4160
683-1218	VRZ-PRO-4R-DN - PRO 2U RACKmount with 4TB storage, Intel i3 processor, 8GB RAM, Dual NIC, 3 Year Warranty	4490
683-1222	VRZ-PRO-6R-DN - PRO 2U RACKmount with 6TB storage, Intel i3 processor, 8GB RAM, Dual NIC, 3 Year Warranty	4720
683-1226	VRZ-PRO-8R-DN - PRO 2U RACKmount with 8TB storage, Intel i3 processor, 8GB RAM, Dual NIC, 3 Year Warranty	5150
683-1210	VRZ-PRO-12R-DN - PRO 2U RACKmount with 12TB storage, Intel i3 processor, 8GB RAM, Dual NIC, 3 Year Warranty	5900
683-1023	VRZ-PRO-EXT-3W - 3 Year Onsite NBD 24x7 Helpdesk	420

## IPVC PROPLUS RackMount RAID5 4 Bays

Part Number	Description	List
683-1282	PROPLUS 3TB 2U RAID5 with 1TB Drives, Intel Xeon E3 processor, 8GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	8370
683-1283	PROPLUS 6TB 2U RAID5 with 2TB Drives, Intel Xeon E3 processor, 8GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	8780
683-1284	PROPLUS 9TB 2U RAID5 with 3TB Drives, Intel Xeon E3 processor, 8GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	9200
683-1280	PROPLUS 12TB 2U RAID5 with 6TB Drives, Intel Xeon E3 processor, 8GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	10400
683-1281	PROPLUS 15TB 2U RAID5 with 5TB Drives, Intel Xeon E3 processor, 8GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	10850

## IPVC SENTRY VMS DB RAID1 4 Bays

Part Number	Description	List
683-1120	VRZ-DB-0-RAID - Database Base	12260
683-1126	VRZ-DB-4-RAID1 - Database 4TB 1U RAID1 with 4TB Drives Intel Xeon Processor E3-1200 V3	14320
683-1128	VRZ-DB-6-RAID1 - Database 6TB 1U RAID1 with 3TB Drives Intel Xeon Processor E3-1200 V3	15600
683-1130	VRZ-DB-8-RAID1 - Database 8TB 1U RAID1 with 4TB Drives Intel Xeon Processor E3-1200 V3	16390
683-1121	VRZ-DB-10-RAID1 - Database 10TB 1U RAID1 with 5TB Drives Intel Xeon Processor E3-1200 V3	18000
683-1122	VRZ-DB-12-RAID1 - Database 12TB 1U RAID1 with 6TB Drives Intel Xeon Processor E3-1200 V3	19630

## IPVC SENTRY VMS DB RAID5 4 Bays

Part Number	Description	List
683-1127	VRZ-DB-4-RAID5 - Database 4TB 1U RAID5 with 2TB Drives Intel Xeon Processor E3-1200 V3	14010
683-1129	VRZ-DB-6-RAID5 - Database 6TB 1U RAID5 with 2TB Drives Intel Xeon Processor E3-1200 V3	14590
683-1131	VRZ-DB-8-RAID5 - Database 8TB 1U RAID5 with 4TB Drives Intel Xeon Processor E3-1200 V3	15360
683-1123	VRZ-DB-12-RAID5 - Database 12TB 1U RAID5 with 4TB Drives Intel Xeon Processor E3-1200 V3	16390
683-1124	VRZ-DB-14-RAID5 - Database 15TB 1U RAID5 with 5TB Drives Intel Xeon Processor E3-1200 V3	18000
683-1125	Database 18TB 1U RAID5 with 6TB Drives Intel Xeon Processor E3-1200 V3	19620

## IPVC EDGE - RAID1 - 8 Bays

Part Number	Description	List
683-1132	VRZ-EDGE-0-RAID - EDGE Base	10630
683-1145	VRZ-EDGE-4-RAID1 - EDGE 4TB 2U RAID1 with 4TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	12700
683-1148	VRZ-EDGE-8-RAID1 - EDGE 8TB 2U RAID1 with 4TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	14770
683-1134	VRZ-EDGE-12-RAID1 - EDGE 12TB 2U RAID1 with 4TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	16840
683-1137	VRZ-EDGE-16-RAID1 - EDGE 16TB 2U RAID1 with 4TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	18910
683-1139	VRZ-EDGE-20-RAID1 - EDGE 16TB 2U RAID1 with 5TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	22110
683-1142	VRZ-EDGE-24-RAID1 - EDGE 24TB 2U RAID1 with 6TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	25370

## IPVC EDGE- RAID5 - 8 Bays

Part Number	Description	List
683-1146	VRZ-EDGE-4-RAID5 - EDGE 4TB 2U RAID5 with 2TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	12380
683-1147	VRZ-EDGE-6-RAID5 - EDGE 6TB 2U RAID5 with 2TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	12970

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.



## IPVC EDGE- RAID5 - 8 Bays

683-1149	VRZ-EDGE-8-RAID5 - EDGE 8TB 2U RAID5 with 2TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	13550
683-1133	VRZ-EDGE-10-RAID5 - EDGE 10TB 2U RAID5 with 2TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	14130
683-1135	VRZ-EDGE-12-RAID5 - EDGE 12TB 2U RAID5 with 4TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	14770
683-1136	VRZ-EDGE-14-RAID5 - EDGE 14TB 2U RAID5 with 2TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	15300
683-1138	VRZ-EDGE-18-RAID5 - EDGE 18TB 2U RAID5 with 3TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	16490
683-1140	VRZ-EDGE-20-RAID5 - EDGE 20TB 2U RAID5 with 4TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	16840
683-1141	VRZ-EDGE-22-RAID5 - EDGE 22TB 2U RAID5 with 2TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	17630
683-1143	VRZ-EDGE-24-RAID5 - EDGE 24TB 2U RAID5 with 4TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	17880
683-1144	VRZ-EDGE-30-RAID5 - EDGE 30TB 2U RAID5 with 6TB Drives, Intel Xeon E3 processor, 16GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	21690

## IPVC ENTERPRISE-RAID1 - 16 Bays

Part Number	Description	List
683-1150	VRZ-ENT-0-RAID - ENTERPRISE Base	16590
683-1175	VRZ-ENT-4-RAID1 - ENTERPRISE 4TB 3U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	18660
683-1178	VRZ-ENT-8-RAID1 - ENTERPRISE 8TB 3U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	20730
683-1151	VRZ-ENT-10-RAID1 - ENTERPRISE 10TB 3U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	21770
683-1153	VRZ-ENT-12-RAID1 - ENTERPRISE 12TB 3U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	22800
683-1155	VRZ-ENT-14-RAID1 - ENTERPRISE 14TB 3U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	23840
683-1157	VRZ-ENT-16-RAID1 - ENTERPRISE 16TB 3U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	24870
683-1159	VRZ-ENT-20-RAID1 - ENTERPRISE 20TB 3U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	26940
683-1162	VRZ-ENT-24-RAID1 - ENTERPRISE 24TB 3U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	29010
683-1167	VRZ-ENT-32-RAID1 - ENTERPRISE 32TB 3U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	33150
683-1168	VRZ-ENT-36-RAID1 - ENTERPRISE 36TB 3U RAID1 with 6TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	38700
683-1170	VRZ-ENT-40-RAID1 - ENTERPRISE 40TB 3U RAID1 with 5TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	39550
683-1173	VRZ-ENT-48-RAID1 - ENTERPRISE 48TB 3U RAID1 with 6TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	46070

## IPVC ENTERPRISE-RAID5 - 16 Bays

Part Number	Description	List
683-1176	VRZ-ENT-4-RAID5 - ENTERPRISE 4TB 3U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	18340
683-1177	VRZ-ENT-6-RAID5 - ENTERPRISE 6TB 3U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	18930

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## IPVC ENTERPRISE-RAID5 - 16 Bays

683-1179	VRZ-ENT-8-RAID5 - ENTERPRISE 8TB 3U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	19510
683-1152	VRZ-ENT-10-RAID5 - ENTERPRISE 10TB 3U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	20100
683-1154	VRZ-ENT-12-RAID5 - ENTERPRISE 12TB 3U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	20680
683-1156	VRZ-ENT-14-RAID5 - ENTERPRISE 14TB 3U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	21260
683-1158	VRZ-ENT-18-RAID5 - ENTERPRISE 18TB 3U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	22430
683-1160	VRZ-ENT-20-RAID5 - ENTERPRISE 20TB 3U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	23010
683-1161	VRZ-ENT-22-RAID5 - ENTERPRISE 22TB 3U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	23600
683-1163	VRZ-ENT-24-RAID5 - ENTERPRISE 24TB 3U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	24180
683-1164	VRZ-ENT-26-RAID5 - ENTERPRISE 26TB 3U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	24760
683-1165	VRZ-ENT-28-RAID5 - ENTERPRISE 28TB 3U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	25350
683-1166	VRZ-ENT-30-RAID5 - ENTERPRISE 30TB 3U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	25930
683-1169	VRZ-ENT-36-RAID5 - ENTERPRISE 36TB 3U RAID5 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	26940
683-1171	VRZ-ENT-40-RAID5 - ENTERPRISE 40TB 3U RAID5 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	27980
683-1172	VRZ-ENT-44-RAID5 - ENTERPRISE 44TB 3U RAID5 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	29010
683-1174	VRZ-ENT-48-RAID5 - ENTERPRISE 48TB 3U RAID5 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	30050

## IPVC SENTRY VMS ENT+ -RAID1 - 24 Bays

Part Number	Description	List
683-1180	VRZ-ENTP-0-RAID - ENTERPRISE + Base	19800
683-1199	VRZ-ENTP-4-RAID1 - ENTERPRISE + 4TB 4U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	21870
683-1202	VRZ-ENTP-8-RAID1 - ENTERPRISE + 8TB 4U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	23940
683-1182	VRZ-ENTP-12-RAID1 - ENTERPRISE + 12TB 4U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	26010
683-1185	VRZ-ENTP-16-RAID1 - ENTERPRISE + 16TB 4U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	28080
683-1188	VRZ-ENTP-24-RAID1 - ENTERPRISE + 24TB 4U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	32220
683-1191	VRZ-ENTP-32-RAID1 - ENTERPRISE + 32TB 4U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	36360
683-1194	VRZ-ENTP-40-RAID1 - ENTERPRISE + 40TB 4U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	40500
683-1197	VRZ-ENTP-48-RAID1 - ENTERPRISE + 48TB 4U RAID1 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	44630

## IPVC SENTRY VMS ENT+ -RAID5 - 24 Bays

Part Number	Description	List
-------------	-------------	------

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## IPVC SENTRY VMS ENT+ -RAID5 - 24 Bays

683-1200	VRZ-ENTP-4-RAID5 - ENTERPRISE + 4TB 4U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	21550
683-1201	VRZ-ENTP-6-RAID5 - ENTERPRISE + 6TB 4U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	22130
683-1203	VRZ-ENTP-8-RAID5 - ENTERPRISE + 8TB 4U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	22720
683-1181	VRZ-ENTP-10-RAID5 - ENTERPRISE + 10TB 4U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	23300
683-1183	VRZ-ENTP-12-RAID5 - ENTERPRISE + 12TB 4U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	23880
683-1184	VRZ-ENTP-14-RAID5 - ENTERPRISE + 14TB 4U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	24470
683-1186	VRZ-ENTP-18-RAID5 - ENTERPRISE + 18TB 4U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	25630
683-1187	VRZ-ENTP-22-RAID5 - ENTERPRISE + 22TB 4U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	26800
683-1189	VRZ-ENTP-26-RAID5 - ENTERPRISE + 26TB 4U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	27970
683-1190	VRZ-ENTP-30-RAID5 - ENTERPRISE + 30TB 4U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	29140
683-1192	VRZ-ENTP-34-RAID5 - ENTERPRISE + 34TB 4U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	30300
683-1193	VRZ-ENTP-38-RAID5 - ENTERPRISE + 38TB 4U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	31470
683-1195	VRZ-ENTP-42-RAID5 - ENTERPRISE + 42TB 4U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	32640
683-1196	VRZ-ENTP-46-RAID5 - ENTERPRISE + 46TB 4U RAID5 with 2TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	33800
683-1198	VRZ-ENTP-48-RAID5 - ENTERPRISE + 48TB 4U RAID5 with 4TB Drives, Intel Xeon E5 processor, 16 GB RAM, 2 x 1GbE LAN Ports, 3 year warranty with NBD onsite support	33250

## IPVC VIDEO STORAGE UNIT (VSU) - RAID1 - 16 Bays

Part Number	Description	List
683-1257	VSU Base	7210
683-1275	VSU 8TB 4U-RAID1 with 4TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	11350
683-1259	VSU 12TB 3U-RAID1 with 4TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	13420
683-1262	VSU 16TB 3U-RAID1 with 4TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	15490
683-1265	VSU 20TB 3U-RAID1 with 4TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	17560
683-1268	VSU 24TB 3U-RAID1 with 4TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	19620
683-1270	VSU 28TB 3U-RAID1 with 4TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	21690
683-1272	VSU 32TB 3U-RAID1 with 4TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	23760

## IPVC VIDEO STORAGE UNIT (VSU) - RAID5 - 16 Bays

Part Number	Description	List
683-1273	VSU 4TB 3U- RAID5 with 2TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	8960

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## IPVC VIDEO STORAGE UNIT (VSU) - RAID5 - 16 Bays

683-1274	VSU 6TB 3U- RAID5 with 2TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	9540
683-1276	VSU 8TB 3U- RAID5 with 2TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	10120
683-1258	VSU 10TB 3U- RAID5 with 2TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	10710
683-1260	VSU 12TB 3U- RAID5 with 2TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	11290
683-1261	VSU 14TB 3U- RAID5 with 2TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	11880
683-1263	VSU 16TB 3U- RAID5 with 2TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	12460
683-1264	VSU 18TB 3U- RAID5 with 2TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	13040
683-1266	VSU 20TB 3U- RAID5 with 2TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	13630
683-1267	VSU 22TB 3U- RAID5 with 2TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	14210
683-1269	VSU 26TB 3U- RAID5 with 2TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	15380
683-1271	VSU 30TB 3U- RAID5 with 2TB Drives, 16 hot swap drive slots, 3 hot swap fans, up to 15,000 disk drive RPM	16540

## IPVC SENTRY VMS CLIENT WORKSTATIONS

Part Number	Description	List
683-1285	Enterprise Client Station up to 2 Monitors	4690
683-1286	Enterprise Client Station up to 4 Monitors	5550
683-1316	Enterprise Client Station up to 4 Monitor Rack mount	6010
950-1278	MAX Solutions Workstation PC	1980*
802-2311	23" Widescreen LCD Monitor	270*

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.



The Zetron security IP based product line provides Zetron resellers with cameras, video recorders, video management software and analytics, access control and mounting hardware to support installation of camera surveillance and door access systems.

**IPVC SENTRY VMS LICENSES, SUPs & LPR**

Part Number	Description	List
683-1119	VS-VMS-SW-1 - VMS Single Camera License	180
683-1327	Competitive Upgrade Includes 5 Yrs SUPS	54
683-1325	SUP 1 Camera	30
683-1326	SUP 10 Cameras	270
683-1315	IPVideo Service Agreement	667
683-1323	LPR server license with serial key dongle	5768
683-1324	Add-on camera connection license to be used with IPLP1 server license	1730
683-1328	ParkIT Camera - WVGA, B/W, SMD IR LED -	3047

**IPVC Watchstander Client**

Part Number	Description	List
683-1322	Watchstander System Sentry Enterprise Video Management System; 3U Rack;8TB Storage; Support 100 Cameras;Includes Watchstander Joystick Client Software; USA Part Number eligible for USA mfg warranty	35150
683-1321	System Support for one VMS-ENT-8100-WSC for years 2 & 3	1937
683-1320	Watchstander System Sentry Enterprise Video Management System; 3U Rack;16TB Storage; Support 100 Cameras;Includes Watchstander Joystick Client Software; USA Part Number eligible for USA mfg warranty	40150
683-1319	System Support for one VMS-ENT-16100-WSC for years 2 & 3	1937
683-1318	NON-PERSONAL; ON-SITE TECHNICAL SUPPORT; 2-DAYS; INCLUDES TRAVEL AND EXPENSES; POP: TBD	3158
683-1317	Custom Programmed Joystick	700

**IPVC Watchstander Bundle**

Part Number	Description	List
683-1329	Watchstander Bundled System 1	36295
683-1330	Watchstander Bundled System 2	41465

**Demonstration Kits**

Part Number	Description	List
905-0472	3 Camera Security Demo Kit, 2 Fixed and 1 PTZ Camera, Access Control	12900
905-0473	4 Camera Security Demo Kit, 4 Fixed Cameras, Access Control	12400
683-1084	AVF-Demo Kit Integrated Demo Unit including SentryVMS & Avfusion	5557

## Product Category: Security

U.S. Pricing (USD), 002-0001 Rev. 57

## Security VMS - Mosaic

Price Sheet 001-0309 Rev. A

These sophisticated VMS solutions offer enterprise-class video management capabilities. The features are accessible through a range of intuitive interfaces for PCs and smartphones. These solutions can be preloaded on purpose-built hardware or installed on compatible customer servers. The products leverage open platform video management software and are easy to manage, reliable and proven in thousands of customer installations around the world. They offer best-in-class solutions to video enable organizations - managing risks, protecting people and assets, optimizing processes and reducing costs.

### VMS LICENSES & SUPs

Part Number	Description	List
683-1418	Mosaic Enterprise VMS Base Software	399
683-1417	Mosaic Enterprise VMS Camera License, requires purchase of 1st year SUP	139
683-1411	Software Upgrade Protection 1 Year for Mosaic Enterprise Base License	72
683-1414	Software Upgrade Protection 1 Year for Mosaic Enterprise Camera License	25
683-1412	Software Upgrade Protection 2 Year for Mosaic Enterprise Base License	132
683-1415	Software Upgrade Protection 2 Year for Mosaic Enterprise Camera License	46
683-1413	Software Upgrade Protection 3 Year for Mosaic Enterprise Base License	180
683-1416	Software Upgrade Protection 3 Year for Mosaic Enterprise Camera License	63
683-1419	Competitive Upgrade Requires 3 Yrs SUPS	0

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

## Product Category: Series 3300/3200

U.S. Pricing (USD), 002-0001 Rev. 57

## Series 3000 Monitor Speaker

Price Sheet 001-0057 Rev. H

The Series 3000 Monitor Speaker Module is a 1-watt, amplified speaker that is ideal for monitoring auxiliary receivers. The front panel contains a volume control and a VOX activity indicator. The unit has a balanced, high impedance input and an external muting input. Ideal for use as a receiver monitor speaker in a radio console application. Operates from 12 to 15 VDC.

Part Number	Description	List
950-9430	Series 3000 Monitor Speaker Module (1 unit width)	407
MOUNTING OPTIONS		
Part Number	Description	List
901-9256	Series 3000 Rack Adapter (Fits 19" x 5.25" EIA rack space) <i>Mounts 8 units worth of modules and blank module panels</i>	501
901-9264	ALI Display Adapter <i>Mounts 4 units worth of modules and blank module panels</i>	407
950-9977	Blank Module Panel <i>Each blank module panel measures 5.25"H x 2.125"W (1 unit)</i>	33
415-9802	Blank Module Panel 4 unit* widths(5.25"H x 8.5"W) <i>Each blank module panel measures 5.25"H x 8.5"W (4 units)</i>	94

Note: The Series 3000 Speaker Module is 1 unit wide \* and can be mounted in the Series 3000 Rack or Desktop Adapters, or directly in place of one module in a Motorola CENTRACOM II® Channel Control Panel. See the Series 3000 Mounting Options above. \* Speaker Module measures 5.25"H x 2.125"W (1 unit). CENTRACOM II® is a registered trademark of Motorola, Inc.

Zetron Price Book

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

Product Category: Series 3300/3200

**Series 3300/3200 - IP E9-1-1  
Telephone System**  
Price Sheet 001-0265 Rev. AB

U.S. Pricing (USD), 002-0001 Rev. 57

The Series 3300 VoIP E9-1-1 Call-Taking System provides Public Safety Answering Points (PSAPs) with a complete turn-key, E9-1-1 emergency call solution which leverages Internet Protocol (IP) to deliver calls to remote operator positions and alternate PSAPs over IP networks. CTI operator positions require a rackmount or desktop phone in addition to the Windows-based workstation.



The Series 4000 is a central controller-based dispatch communications console that provides an effective means of controlling up to 48 radio channels from 1 to 16 operating positions. Designed to meet the needs of public safety, medical dispatch, utility, and industrial users alike, the Series 4000's modular construction and field programmability offer exceptional application flexibility.

A system consists of one or more operator positions plus a CCE (common control equipment) rack. Racks sold separately. Operator positions can be PC-based (IntegratorRD), button/LED-based (rack mount), or a combination of both.

For larger applications, contact Zetron Sales for more information.



**ZETRON AMERICAS**

PO Box 97004, Redmond, WA USA 98073-9704

(P) 1 425 820 6363

(F) 1 425 820 7031

(E) [zetron@zetron.com](mailto:zetron@zetron.com)

**ZETRON EMEA**

27-29 Campbell Court, Bramley, Hampshire RG26 5EG, United Kingdom

(P) +44 1256 880663

(F) +44 1256 880491

(E) [uk@zetron.com](mailto:uk@zetron.com)

**ZETRON AUSTRALASIA**

PO Box 3045, Stafford Mail Centre, Stafford QLD 4053, Australia

(P) +61 7 3856 4888

(F) +61 7 3356 6877

(E) [au@zetron.com](mailto:au@zetron.com)

[www.zetron.com](http://www.zetron.com)

Zetron products may be restricted from sale in some countries due to intellectual property rights asserted by others. Not all products are offered for sale or available for purchase in all markets. For detailed specification sheets on the products listed in this price book, call, fax, write or visit our website at [www.zetron.com](http://www.zetron.com). All pricing expressed in U.S. Dollar Currency. Specifications and prices are subject to change without notice.

**Zetron Price Book**

\* indicates a limited discount item

\*\* indicates a non-discountable item

All trademarks are properties of their respective owners. All pricing subject to Zetron's terms and conditions.

001-0008 01-March-2017